

PVL675LCNAU

Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions70/75 cmPower supplyGasTypeGas

EAN code 8017709259624



Aesthetics





Aesthetic Dolce Stil Novo

ColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edge

Glass on Steel Yes

Pan standsStainless steelPan Stand CoatingTitaniumBurnersLaminateBurners MaterialBrassBurner CoatingNichelatoType of control settingControl knobs

Control knob positionFrontNo. of controls5Controls colourBlackLogoSilk screen

Serigraphy colour Grey

Alternative colours available Stainless steel

Program / Functions

No. of gas cook zones 5
Total no. of cook zones 5

SMEG SPA 14/12/2025



Options

Standard cut out 482-486x700-704 mm

Technical Features

UR

Centre-left - Gas - UR - 3.50 kW

Rear-centre - Gas - Semi Rapid - 1.60 kW

Front-centre - Gas - AUX - 1.00 kW Rear-right - Gas - Rapid - 2.40 kW Front-right - Gas - AUX - 1.00 kW

Gas safety valves **Automatic Ignition** Yes

Electrical Connection

Electrical connection 1 W

rating (W)

Voltage (V) 220-240 V

Type of electric cable Single phase Plug

50/60 Hz Frequency (Hz)

Power supply cable 120 cm

length

Plug

(I) Australia

Gas Connection

Gas Type G20 Natural gas **Gas** connection

Other gas nozzles

included


Conical

G30 GPL Liquid gas

Other gas connections Cylindrical provided

9500 W Gas connection rating

(W)



SMEG SPA 14/12/2025



Compatible Accessories

6MP1BF

6MP1BFB3

6 Linea knobs kit for hobs with blade flame

000000

GRM



Gas hobs moka support



Wok support

WOKGHU



Cast-Iron WOK Support

SMEG SPA 14/12/2025



Symbols glossary

Φ

Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.

UR

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

SMEG SPA 14/12/2025