


PX364L



Product Family
Built-in
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709252106



Aesthetics



Aesthetics
Colour
Finishing
Material
Type of steel
Series
Pan stands
Burners
Burner Material
Type of control setting
Control knobs position
No. of controls
Controls colour
Serigraphy colour

Classic
Stainless steel
Brushed
Stainless Steel
Brushed
New
Cast iron
Smeg Contemporary
Aluminium
Control knobs
Front
4
Steel effect
Black

Options



Standard cut out 478-482x555-560 mm

Technical Features



Left - Gas - UR - 3.50 kW

Rear centre - Gas - Semi Rapid - 1.80 kW

Front centre - Gas - AUX - 1.10 kW

Right - Gas - Rapid - 2.60 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Nominal power (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	9000 W
Other gas nozzles included	G30 GPL Liquid gas		



Not included accessories



GRW
Wok support








WOKGHU
Cast-Iron WOK Support



TPK
Stainless steel grill plate to cook
Teppanyaki dishes

Symbols glossary

- | | | | |
|--|--|---|--|
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | CUT_OUT_STANDARD_72dpi |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | | |