


# PX364L



|                       |               |
|-----------------------|---------------|
| <b>Product Family</b> | Hob           |
| <b>Built-in type</b>  | Traditional   |
| <b>Dimensions</b>     | 60 cm         |
| <b>Power supply</b>   | Gas           |
| <b>Type</b>           | Gas           |
| <b>EAN code</b>       | 8017709252106 |



## Aesthetics



|                                |                   |
|--------------------------------|-------------------|
| <b>Aesthetic</b>               | Classica          |
| <b>Serie</b>                   | New               |
| <b>Colour</b>                  | Stainless steel   |
| <b>Finishing</b>               | Satin             |
| <b>Material</b>                | Stainless Steel   |
| <b>Type of steel</b>           | Brushed           |
| <b>Pan stands</b>              | Cast iron         |
| <b>Burners</b>                 | Smeg Contemporary |
| <b>Burners Material</b>        | Alluminium        |
| <b>Type of control setting</b> | Control knobs     |
| <b>Control knob position</b>   | Front             |
| <b>No. of controls</b>         | 4                 |
| <b>Controls colour</b>         | Steel effect      |
| <b>Logo</b>                    | Silk screen       |
| <b>Serigraphy colour</b>       | Black             |

## Program / Functions

|                                |   |
|--------------------------------|---|
| <b>No. of gas cook zones</b>   | 4 |
| <b>Total no. of cook zones</b> | 4 |

## Options



|                        |                    |
|------------------------|--------------------|
| <b>Worktop Cut-Out</b> | 478-482x555-560 mm |
|------------------------|--------------------|

## Technical Features

**UR**

Left - Gas - UR - 3.50 kW

Rear-centre - Gas - Semi Rapid - 1.80 kW

Front-centre - Gas - AUX - 1.10 kW

Right - Gas - Rapid - 2.60 kW


Gas safety valves                      Yes    Automatic Ignition                      Yes

## Electrical Connection

|                                  |                   |                           |             |
|----------------------------------|-------------------|---------------------------|-------------|
| Electrical connection rating (W) | 1 W               | Frequency (Hz)            | 50/60 Hz    |
| Voltage (V)                      | 220-240 V         | Power supply cable length | 120 cm      |
| Type of electric cable installed | Yes, Single phase | Plug                      | Not present |

## Gas Connection

|                            |                    |                                |         |
|----------------------------|--------------------|--------------------------------|---------|
| Gas Type                   | G20 Natural gas    | Other gas connections provided | Conical |
| Gas connection             | Cilindrica         | Gas connection rating (W)      | 9000 W  |
| Other gas nozzles included | G30 GPL Liquid gas |                                |         |



---

## Compatible Accessories

---



**GRW**  
Wok support



**WOKGHU**  
Cast iron WOK Support

## Alternative products

---



**PX364LMB**

**Colour: Matt Black**

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets. |  | Heavy duty cast iron pan stands: for maximum stability and strength.        |
|  | CUT_OUT_STANDARD_72dpi  |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |
|  | Knobs control   |   |   |