


PX364LAU



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709261290



Aesthetics



Aesthetic

Serie

Colour

Finishing

Material

Type of steel

Pan stands

Burners

Burners Material

Type of control setting

Control knob position

No. of controls

Controls colour

Logo

Serigraphy colour

Classic

New

Stainless steel

Satin

Stainless Steel

Brushed

Cast iron

Smeg Contemporary

Alluminium

Control knobs

Front

4

Steel effect

Embossed

Black

Program / Functions

No. of gas cook zones

4

Total no. of cook zones

4

Options



Standard cut out

478-482x555-560 mm

Technical Features

UR

Left - Gas - UR - 3.50 kW

Rear-centre - Gas - Semi Rapid - 1.80 kW

Front-centre - Gas - AUX - 1.10 kW

Right - Gas - Rapid - 2.60 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase	Plug	(I) Australia

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Conical	Gas connection rating (W)	9583,33 W



Compatible Accessories



GRW
Wok support



WOKGHU
Cast-Iron WOK Support

Alternative products



PX364LMBAU

Colour: Black

Symbols glossary

- | | | | |
|--|--|---|--|
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | CUT_OUT_STANDARD_72dpi |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. | | |