


PX375LAU



Product Family
 Built-in type
 Dimensions
 Power supply
 Type
 EAN code

Hob
 Traditional
 70/75 cm
 Gas
 Gas
 8017709261306



Aesthetics



Aesthetic
 Serie
 Colour
 Finishing
 Material
 Type of steel
 Pan stands
 Burners
 Burners Material
 Type of control setting
 Control knob position
 No. of controls
 Controls colour
 Logo
 Serigraphy colour

Classic
 New
 Stainless steel
 Satin
 Stainless Steel
 Brushed
 Cast iron
 Smeg Contemporary
 Aluminium
 Control knobs
 Front
 6
 Steel effect
 Silk screen
 Black

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Standard cut out	478-482x655-660 mm
------------------	--------------------

Technical Features

UR

Centre-left - Gas - 2UR (dual) - 4.20 kW
 Rear-centre - Gas - Semi Rapid - 1.80 kW
 Central - Gas - AUX - 1.10 kW
 Rear-right - Gas - Rapid - 2.60 kW
 Front-right - Gas - Semi Rapid - 1.80 kW


Gas safety valves Yes **Automatic Ignition** Yes

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase	Plug	(I) Australia

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Conical	Gas connection rating (W)	11944,4 W



Compatible Accessories



GRW
Wok support



WOKGHU
Cast-Iron WOK Support

Alternative products



PX375LMBAU

Colour: Black

Symbols glossary

- | | | | |
|--|--|---|---|
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |