

PX375LAU



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
70/75 cm
Gas
Gas
8017709261306



Aesthetics



Aesthetic

Colour

Finishing

Material

Type of steel

Serie

Pan stands

Burners

Burners Material

Type of control setting

Control knob position

No. of controls

Controls colour

Serigraphy colour

Classic

Stainless steel

Satin

Stainless Steel

Brushed

New

Cast iron

Smeg Contemporary

Alluminium

Control knobs

Front

6

Steel effect

Black

Program / Functions

No. of gas cook zones

5

Total no. of cook zones

5

Options

Standard cut out

478-482x655-660 mm

Technical Features

UR

Centre-left - Gas - 2UR (dual) - 4.20 kW
 Rear-centre - Gas - Semi Rapid - 1.80 kW
 Central - Gas - AUX - 1.10 kW
 Rear-right - Gas - Rapid - 2.60 kW
 Front-right - Gas - Semi Rapid - 1.80 kW


Gas safety valves Yes **Automatic Ignition** Yes

Electrical Connection

| | | | |
|---|---------------|----------------------------------|----------|
| Plug | (I) Australia | Frequency (Hz) | 50/60 Hz |
| Electrical connection rating (W) | 1 W | Power supply cable length | 120 cm |
| Voltage (V) | 220-240 V | Plug | I |
| Type of electric cable | Single phase | | |

Gas Connection

| | | | |
|-----------------------|-----------------|-----------------------------------|--------------------|
| Gas Type | G20 Natural gas | Other gas nozzles included | G30 GPL Liquid gas |
| Gas connection | Conical | Gas connection rating (W) | 11944,4 W |



Compatible Accessories



GRW
Wok support







TPK
Stainless steel grill plate to cook
Teppanyaki dishes



WOKGHU
Cast-Iron WOK Support

Symbols glossary

- | | | | |
|--|--|---|--|
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control |