

RBMU36RX



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	>200
Sistema Total No - Frost	Total
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Door on door
Hinge position	Right
EAN code	8017709332693



Aesthetics

Aesthetic	Universale	Door shelves profile color	Silver
Colour	Stainless steel	Drawers profile color	Silver
Material	Stainless steel	Color of glass shelf profile	Silver
Door steel type	Normal	Display	TFT
Handle type	Fixed	Display position	Interno (sul Top)
Logo colour	Stainless Steel	Water Filter	Yes
Side material	Steel	Alternative colours available	Stainless steel
Logo	Applied		

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	Low temperature compartment	Yes
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	On sliding rails		

Refrigerator Inner Door

Number of adjustable door shelves	3	Adjustable door shelves with wire support	Yes
-----------------------------------	---	-------------------------------------------	-----

Other Refrigerator features



MultiFlow	Yes
-----------	-----

Freezer compartment features

Number of drawers	1
-------------------	---

Other Freezer features

Ice maker	Automatic	Ice shape	Cubes
Daily ice production	1.5 kg	Ice tray shelf	Yes

Other technical features



Functions display	Holiday, Fast cooling, ECO, Temperature alarm, Demo Mode, Sabbath
MultiZone	Yes
Water network connection	Yes
Power on lamp	Yes
Temperature alarm lamp	Yes
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	2
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (gr)	3.8 oz
Foam agent	HFO

Performance / Energy Label - Reg. 2019

Annual energy consumption	580 kWh/year	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	15.0 cu. ft.
Total net volume	19.6 cu. ft.	Total gross volume	19.6 cu. ft.
Sum of the volumes of the frozen compartment(s)	4.6 cu. ft.		

Electrical Connection


Current	3.5 A	Power supply cable length	78 3/4 "
Voltage (V)	115 V	Plug	(B) NEMA 5-15P
Frequency (Hz)	60 Hz		

Logistic Information

Width	35 7/8 "	Height of the built-in niche	84 "
Width of the built-in niche	36 "	Product width with maximum doors opening	41 1/4 "
Depth without handle	24 7/16 "	Product depth with handle	28 15/16 "
Depth of the built-in niche	25 "	Product depth with doors open at 90°	58 9/16 "
Height	83 7/16 "		

Also available

Installation kit code RSFZLK



Compatible Accessories

RSFZLK



Symbols glossary

- | | | | |
|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption. |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Air plus: keeps food fresher for longer. |
|  | SABBATH: function that allows to cook food respecting Judaism's day of rest provisions. | | |