

RC18WNE1

*

Product Family Refrigerator Installation Free standing **Bottom Mount** Category Until 60 Reference width 160 - 200 Reference height **Total No Frost** Cooling type **Defrost** Automatic Hinge type Standard Hinge position Right

EAN code 8017709354787

Yes



Aesthetics

Reversible door

LED

Aesthetic Universale Side material Steel Colour White Side colour Silver Material Steel Effect Logo **Applied** Handle Integrated Display **LED**

Handle type Fixed Display porition Interno (sul Top)

Logo colour Chrome

Refrigerator compartment features

No. of adjustable 3 Type of Glass

shelves crisper/vegetable
Number of fruit and 1 drawers cover

vegetables drawers No. of lights refrigerator 1

Type of adjustable Glass compartment

shelves Low temperature Yes

Type of Standard compartment crisper/vegetable Internal light in fridge Yes

drawers cover Type of internal light LED

Crisper Cover Yes (fridge)
Bottle shelf Yes

Refrigerator Inner Door

Number of adjustable 2 No. of bottle shelves 1

door shelves



Other Refrigerator features

(C)

Accessories Bottle holder, Egg tray MultiFlow Yes

Freezer compartment features

Number of drawers 3

Other Freezer features

Accessories 1 ice box

Other technical features

*↓

)e

Functions display Fast freezing, ECO

Door open alarm Yes
Temperature Alarm Yes
Type of temperature control Electronic
No. of compressors 1

No. of compressors1Refrigerant gas typeR600aType of compressorStandardFoam agentCyclopentane

Performance / Energy Label - Reg. 2019

E Å

the frozen compartment(s)

Annual energy 242 kWh/a Airborne acoustical 38 dB(A) re 1 pW consumption noise emissions

Energy efficiency class E Temperature Rise Time 10 h

Airborne acoustical C 4 star - Freezing 10.0 Kg/24h

noise emission class capacity

Total net volume 300 l Climate class SN, N, ST, T

Total net volume 300 l Climate class SN, N, ST, T Sum of the volumes of 96 l EEI 100 %

Sum of the volumes of 2041 the chill compartment(s)

and the unfrozen compartment(s)

Electrical Connection

Plug (F;E) Schuko **Voltage (V)** 220-240 V



Electrical connection rating
Current

200 W

0.9 A

Frequency (Hz)
Power supply cable length

50 Hz 200 cm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Reversible door

Reversible door ensures flexible installation and space optimisation

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Internal display

Internal display for targeted temperature control and a clean, minimalist design