

RC18XDNE



Product Family Refrigerator
Installation Free standing
Category Bottom Mount
Reference width Until 60 cm
Reference height 160 - 200 cm

Sistema Total No - Frost Yes

Cooling type Total No Frost
Defrost Automatic
Hinge type Standard
Hinge position Right
Reversible door Yes

EAN code 8017709343224



Yes

Aesthetics



Aesthetic Universale Side material Steel Colour Inox Look Side colour Silver Material Steel Effect Logo **Applied** Handle Integrated Display **LED**

Handle type Fixed Display porition Esterno (su porta)

Bottle shelf

Logo colour Chrome

Refrigerator compartment features

Yes



drawers cover Crisper Cover

Number of 2 compartments

compartmentsType ofGlassCompartment typesLow temperaturecrisper/vegetable

compartment, Fruit and drawers cover

vegetable compartment No. of lights refrigerator 1

No. of adjustable 2 compartment

shelves Low temperature Yes Number of fruit and 1 compartment

vegetables drawersInternal light in fridgeYesType of adjustableGlassType of internal lightLED

shelves Type of internal light LED

Type of On sliding rails crisper/vegetable



Refrigerator Inner Door

Number of adjustable door shelves

2

No. of bottle shelves

1

Other Refrigerator features

Accessories Egg tray

MultiFlow

Yes

Freezer compartment features

Number of drawers

Other Freezer features

Accessories

1 ice box

3

Other technical features





Functions display Fast freezing, ECO

Door open alarm Yes
Temperature Alarm Yes
Type of temperature control Electronic
No. of compressors 1

No. of compressors1Refrigerant gas typeR600aType of compressorStandardFoam agentCyclopentane

Performance / Energy Label - Reg. 2019

E å

Annual energy

242 kWh/a

Airborne acoustical noise emissions

38 dB(A) re 1 pW

consumption
Energy efficiency class

E C Temperature Rise Time 4 star - Freezing 10 h 10.0 kg/24h

Airborne acoustical noise emission class Total net volume

300 l

capacity Climate class

EEI

SN, N, ST, T 100 %

Sum of the volumes of the frozen compartment(s) 96 I



Sum of the volumes of 204 I the chill compartment(s) and the unfrozen compartment(s)

Electrical Connection

Electrical connection

70 W

rating Current

10 A

Voltage (V)

220-240 V

Frequency (Hz)

Power supply cable

length

Plug


50 Hz 200 cm


(F;E) Schuko

Logistic Information

Width Depth without handle 600 mm 592 mm Height

1850 mm







Alternative products

Ī

RC18WDNE

Hinge position: Right

White



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.