

RC20XDNC



Product Family Refrigerator Installation Free standing **Bottom Mount** Category Reference width Until 60 160 - 200 Reference height **Total No Frost** Cooling type **Defrost** Automatic Hinge type Standard Hinge position Right Reversible door Yes

EAN code 8017709343309



Aesthetics



Aesthetic Universale Side material Steel Colour Inox-look Side colour Silver Material Steel Effect Logo **Applied** Handle Integrated Display **LED**

Handle type Fixed Display porition Esterno (su porta)

Logo colour Chrome

Refrigerator compartment features



No. of adjustable 3 Type of Glass

shelves crisper/vegetable
Number of fruit and 1 drawers cover

vegetables drawers No. of lights refrigerator 1

Type of adjustable Glass compartment

shelves Low temperature Yes

Type of On sliding rails compartment crisper/vegetable Internal light in fridge Yes

drawers cover Type of internal light LED Crisper Cover Yes (fridge)

Crisper Cover Yes (fride Bottle shelf Yes

Refrigerator Inner Door

Number of adjustable 3 No. of bottle shelves 1

door shelves



Other Refrigerator features

(C)

Accessories Bottle holder, Egg tray MultiFlow Yes

Freezer compartment features

Number of drawers 3

Other Freezer features

Accessories 1 ice box

Other technical features

*↓

)e

Functions display Fast freezing, ECO

Door open alarm Yes
Temperature Alarm Yes
Type of temperature control Electronic
No. of compressors 1
Refrigerant gas type R600a

Type of compressor Standard
Foam agent Cyclopentane

Performance / Energy Label NEW 2019

235 I

10

Annual energy 158 kWh/a Airborne acoustical 35 dB(A) re 1pW consumption noise emissions

Energy efficiency class C Temperature Rise Time 10 h

Airborne acoustical B 4 star - Freezing 10.0 Kg/24h noise emission class capacity

Total net volume 331 | Climate class SN, N, ST, T Sum of the volumes of 96 | EEI 64 %

the frozen
compartment(s)

Electrical Connection

Sum of the volumes of

and the unfrozen compartment(s)

the chill compartment(s)



Plug Electrical connection rating Current (F;E) Schuko 200 W

0,9 A

Voltage (V) Frequency (Hz) Power supply cable length

220-240 V 50 Hz 200 cm



Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class C



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.