

RC20XDND



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	Until 60 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709343286



Aesthetics



Aesthetic	Universale	Side material	Steel
Colour	Inox Look	Side colour	Silver
Material	Steel Effect	Logo	Applied
Handle	Integrated	Display	LED
Handle type	Fixed	Display position	Esterno (su porta)
Logo colour	Chrome		

Refrigerator compartment features



Number of compartments	2	Bottle shelf	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	1
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	On sliding rails	Type of internal light (fridge)	LED
Crisper Cover	Yes		

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Humidity Control	Yes, manual	MultiFlow	Yes
Accessories	Bottle holder, Egg tray		

Freezer compartment features

Number of drawers	3
-------------------	---

Other Freezer features

Accessories	1 ice box
-------------	-----------

Other technical features



Functions display	Fast freezing, ECO
Door open alarm	Yes
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption	197 kWh/a	Airborne acoustical noise emissions	35 dB(A) re 1 pW
Energy efficiency class	D	Temperature Rise Time	10 h
Airborne acoustical noise emission class	B	4 star - Freezing capacity	10,0 kg/24h
Total net volume	331 l	Climate class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	96 l	EEI	80 %


**Sum of the volumes of
the chill compartment(s)
and the unfrozen
compartment(s)**

Electrical Connection

Electrical connection rating	200 W	Frequency (Hz)	50 Hz
Current	0,9 A	Power supply cable length	200 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

Logistic Information

Width	600 mm	Height	2000 mm
Depth without handle	592 mm	Product width with maximum doors opening	600 mm



Alternative products



RC20KDND

Hinge position: Right
Black Inox Look

Symbols glossary

 A small icon of a snowflake inside a square frame.	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.	 A yellow square icon with a white "D" and a small "A" above it.	Energy efficiency class D
 A small icon of a screen with the words "LED DISPLAY" and a small snowflake icon.	LED display: to show programmes, functions and options selected and the time to the end of the cycle.	 A small icon of a screen with the letter "e" and a small snowflake icon.	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.
 A small icon of a snowflake with a downward arrow.	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.	 A small icon of a light bulb with the letter "LED" inside.	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
 A small icon of a circle with a double-headed arrow and the word "INVERTER" below it.	Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.	 A small icon of a circle with a curved arrow inside.	Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.