

RC20XNE



| | |
|------------------|----------------|
| Product Family | Refrigerator |
| Installation | Free standing |
| Category | Bottom Mount |
| Reference width | Until 60 |
| Reference height | 160 - 200 |
| Cooling type | Total No Frost |
| Defrost | Automatic |
| Hinge type | Standard |
| Hinge position | Right |
| Reversible door | Yes |
| EAN code | 8017709343255 |



Aesthetics



| | | | |
|-------------|--------------|------------------|-------------------|
| Aesthetic | Universale | Side material | Steel |
| Colour | Inox-look | Side colour | Silver |
| Material | Steel Effect | Logo | Applied |
| Handle | Integrated | Display | LED |
| Handle type | Fixed | Display position | Interno (sul Top) |
| Logo colour | Chrome | | |

Refrigerator compartment features



| | | | |
|---|------------------|---|-------|
| No. of adjustable shelves | 3 | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers | 1 | No. of lights refrigerator compartment | 1 |
| Type of adjustable shelves | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 3 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Other Refrigerator features



Accessories Bottle holder, Egg tray **MultiFlow** Yes

Freezer compartment features

Number of drawers 3

Other Freezer features

Accessories 1 ice box

Other technical features



| | |
|-----------------------------|--------------------|
| Functions display | Fast freezing, ECO |
| Door open alarm | Yes |
| Temperature Alarm | Yes |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019



| | | | |
|--|-----------|-------------------------------------|------------------|
| Annual energy consumption | 246 kWh/a | Airborne acoustical noise emissions | 38 dB(A) re 1 pW |
| Energy efficiency class | E | Temperature Rise Time | 10.00 h |
| Airborne acoustical noise emission class | C | 4 star - Freezing capacity | 9.0 Kg/24h |
| Total net volume | 331 l | Climate class | SN, N, ST, T |
| Sum of the volumes of the frozen compartment(s) | 96 l | EI | 100 % |
| Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 235 l | | |

Electrical Connection


Plug (F;E) Schuko Voltage (V) 220-240 V

Electrical connection rating
Current








200 W
0,9 A

Frequency (Hz)
Power supply cable length

50 Hz
200 cm



Symbols glossary

- | | | | |
|--|--|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle. |
|  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption. |  | Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |  | Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet. |
|  | Energy efficiency class E | | |

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Reversible door

Reversible door ensures flexible installation and space optimisation

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Internal display

Internal display for targeted temperature control and a clean, minimalist design