

RC33SNZA



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	Until 60 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709344825



Aesthetics



Aesthetic	Universale	Side material	Steel
Colour	Pet Inox Look	Side colour	Dark grey
Design	Flat	Logo	Applied
Finishing	Fingerproof	Color of glass shelf profile	Silver
Material	Steel Effect	Display	LED
Handle	Integrated	Display position	Interno (cella frigo)
Logo colour	Silver		

Refrigerator compartment features



Number of compartments	1	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Bottle shelf	Yes
No. of adjustable shelves	3	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	1	No. of lights refrigerator compartment	1
Shelves material	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	Standard	Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves 2

Other Refrigerator features



Humidity Control Accessories

Yes
Bottle holder, Egg tray

MultiFlow Fan

Yes
Yes

Freezer compartment features

Number of drawers 3

Other Freezer features

Accessories 2 ice boxes

Other technical features



Functions display

Fast freezing, ECO

Fast freezing button

Yes

Door open alarm

Yes

Type of temperature control

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Inverter

Refrigerant Quantity (gr)

50 g

Foam agent

Cyclopentane

Performance / Energy Label - Reg. 2019

Total net volume 324 l

Sum of the volumes of the frozen compartment(s) 94 l

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 230 l

Airborne acoustical noise emissions 42 dB(A) re 1 pW

4 star - Freezing capacity 5,0 kg/24h

Climate class SN, T

Electrical Connection


Electrical connection rating 145 W

Frequency (Hz) 50 Hz

Current	1,1 A	Power supply cable length	210 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

Logistic Information

Width	595 mm	Product width with maximum doors opening	982 mm
Depth without handle	650 mm	Product depth with doors open at 90°	1244 mm
Height	1860 mm	Spacer depth	38 mm











Alternative products



RC33KNZA

Hinge position: Right
Dark Grey Inox Look

Symbols glossary

	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.		Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.