RC33SNZA



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	Until 60 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709344825

Aesthetics

Aesthetic	Universale	**Side material**	Steel
Colour	Pet Inox Look	**Side colour**	Dark grey
Design	Flat	**Logo**	Applied
Finishing	Fingerproof	**Color of glass shelf profile**	Silver
Material	Steel Effect	**Display**	LED
Handle	Integrated	**Display porition**	Interno (cella frigo)
Logo colour	Silver		

Refrigerator compartment features

Number of compartments	1	**Crisper Cover**	Yes
Compartment types	Fruit and vegetable compartment	**Bottle shelf**	Yes
No. of adjustable shelves	3	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	1	**No. of lights refrigerator compartment**	1
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	Standard	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

Number of adjustable door shelves	2

Other Refrigerator features



Humidity Control	Yes	**MultiFlow**	Yes
Accessories	Bottle holder, Egg tray	**Fan**	Yes

Freezer compartment features

Number of drawers	3

Other Freezer features

Accessories	2 ice boxes

Other technical features



Functions display	Fast freezing
Fast freezing button	Yes
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (gr)	50 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Total net volume	324 l	**Airborne acoustical noise emissions**	42 dB(A) re 1 pW
Sum of the volumes of the frozen compartment(s)	94 l	**4 star - Freezing capacity**	5,0 kg/24h
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	230 l	**Climate class**	SN, T


Electrical Connection

Electrical connection rating	145 W	**Frequency (Hz)**	50 Hz

Current	1,1 A	**Power supply cable length**	210 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	595 mm	**Product width with maximum doors opening**	982 mm
Depth without handle	650 mm	**Product depth with doors open at 90°**	1244 mm
Height	1860 mm	**Spacer depth**	38 mm



Alternative products



RC33KNZA

Hinge position: Right
Dark Grey Inox Look

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.