RC47KNZA



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	60 - 70 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709344849

Aesthetics

Aesthetic	Universale
Colour	Dark Grey Inox Look
Material	Steel Effect
Handle	Integrated
Logo colour	Silver
Side material	Steel
Side colour	Dark grey

Logo	Silk screen
Door shelves profile color	Dark Inox Look
Drawers profile color	Dark Inox Look
Color of glass shelf profile	Dark Inox Look
Display	LED
Display porition	Interno (cella frigo)

Refrigerator compartment features

Number of compartments	2
Compartment types	Low temperature compartment, Fruit and vegetable compartment
No. of adjustable shelves	3
Number of fruit and vegetables drawers	1
Shelves material	Glass
Type of crisper/vegetable drawers cover	Standard
Crisper Cover	Yes

Bottle shelf	Yes
Type of crisper/vegetable drawers cover	Glass
No. of lights refrigerator compartment	2
Low temperature compartment	Yes
Internal light in fridge	Yes
Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves	3	**No. of bottle shelves**	1

Other Refrigerator features



Humidity Control	Yes	**MultiFlow**	Yes
Accessories	Egg tray	**Fan**	Yes

Freezer compartment features

Number of drawers	2	**Type of shelves**	Glass

Other Freezer features



Fast freezing compartment	Yes

Other technical features



Functions display	Fast freezing
Fast freezing button	Yes
Power on lamp	Yes
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (gr)	53 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption		**Airborne acoustical noise emissions**	44 dB(A) re 1 pW
Total net volume	453 l	**4 star - Freezing capacity**	7,0 kg/24h
Sum of the volumes of the frozen compartment(s)	103 l	**Climate class**	SN, T


Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	350 l

Electrical Connection

Electrical connection rating	175 W	**Frequency (Hz)**	50 Hz
Current	0,87 A	**Power supply cable length**	210 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	700 mm	**Product width with maximum doors opening**	1315 mm
Depth without handle	712 mm		
Height	1860 mm	**Product depth with doors open at 90°**	1390 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.