RL39KNZA



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709344856

Aesthetics

Aesthetic	Universale	**Side material**	Steel
Colour	Dark Grey Inox Look	**Side colour**	Dark grey
Design	Flat	**Logo**	Applied
Finishing	Fingerproof	**Door shelves profile color**	Dark Inox Look
Material	Steel Effect	**Drawers profile color**	Dark Inox Look
Handle	External	**Color of glass shelf profile**	Dark Inox Look
Handle type	Active	**Display**	LED
Handle colour	Silver	**Display porition**	Interno (sul Top)
Logo colour	Chrome		

Refrigerator compartment features

Number of compartments	2	**Bottle shelf**	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Glass
No. of adjustable shelves	4	**No. of lights refrigerator compartment**	3
Number of fruit and vegetables drawers	1	**Low temperature compartment**	Yes
Shelves material	Glass	**Internal light in fridge**	Yes
		Type of internal light (fridge)	LED

Type of crisper/vegetable drawers cover	Standard
Crisper Cover	Yes

Refrigerator Inner Door

Number of adjustable door shelves	4	**No. of bottle shelves**	1

Other Refrigerator features



Humidity Control	Yes	**Fan**	Yes
Accessories	Egg tray		

Other technical features



Functions display	Holiday, Fast cooling, Temperature alarm
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	51 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption		**Airborne acoustical noise emissions**	40 dB(A) re 1 pW
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	380 l		


Electrical Connection

Electrical connection rating	110 W	**Frequency (Hz)**	50 Hz
Current	0,52 A	**Power supply cable length**	210 cm
Voltage (V)	220-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	595 mm	**Product width with maximum doors opening**	982 mm

Depth without handle	650 mm	**Product depth with doors open at 90°**	1244 mm
Height	1860 mm		



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.