

RL39KNZA



Product Family	Refrigerator
Installation	Free standing
Category	One Door
Reference width	Until 60
Reference height	160 - 200
Sistema Total No - Frost	Yes
Cooling type	Total No Frost
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
Reversible door	Yes
EAN code	8017709344856



Aesthetics



Aesthetic	Universale	Side material	Steel
Colour	Dark Inox Look	Side colour	Dark grey
Finishing	Fingerproof	Logo	Applied
Design	Flat	Door shelves profile color	Dark Inox Look
Material	Steel Effect	Drawers profile color	Dark Inox Look
Handle	External	Color of glass shelf profile	Dark Inox Look
Handle type	Active	Display	LED
Handle colour	Silver	Display porition	Interno (sul Top)
Logo colour	Chrome		

Refrigerator compartment features



No. of adjustable shelves	4	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2	No. of lights refrigerator compartment	3
Type of adjustable shelves	Glass	Life Plus zone-0°C	Yes
Type of crisper/vegetable drawers cover	Standard	Internal light in fridge	Yes
Crisper Cover	Yes	Type of internal light (fridge)	LED
Bottle shelf	Yes		

Refrigerator Inner Door

Number of adjustable door shelves	4	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Accessories	Egg tray	Fan	Yes
-------------	----------	-----	-----

Other technical features




Functions display	Holiday, Fast cooling, ECO, Temperature alarm
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	51 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019








Annual energy consumption	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	380 l
---------------------------	--	-------

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	110 W	Frequency (Hz)	50 Hz
Current	0.52 A	Power supply cable length	210 cm



Symbols glossary

- | | | | |
|--|--|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle. |
|  | Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption. |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Life Plus 0°C: The temperature in the Lifepus compartments is kept at 0°C, which preserves fresh meat and fish longer. | | |