

# RSDU30RX



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Built-in
<b>Category</b>	One Door
<b>Built-in niche</b>	>200
<b>Sistema Total No - Frost</b>	Yes
<b>Cooling type</b>	Total No Frost - Double Cooling system
<b>Defrost</b>	Automatic
<b>Hinge type</b>	Door on door
<b>Hinge position</b>	Right
<b>EAN code</b>	8017709332723



## Aesthetics

<b>Aesthetic</b>	Universale	<b>Side material</b>	Steel
<b>Colour</b>	Stainless steel	<b>Logo</b>	Applied
<b>Material</b>	Stainless steel	<b>Door shelves profile color</b>	Silver
<b>Door steel type</b>	Normal	<b>Drawers profile color</b>	Silver
<b>Handle</b>	External	<b>Color of glass shelf profile</b>	Silver
<b>Handle type</b>	Fixed	<b>Display</b>	TFT
<b>Handle colour</b>	Stainless steel	<b>Display position</b>	Interno (sul Top)
<b>Logo colour</b>	Stainless Steel	<b>Water Filter</b>	Yes

## Refrigerator compartment features



<b>Number of compartments</b>	3	<b>Type of crisper/vegetable drawers cover</b>	On sliding rails
<b>Compartment types</b>	Fruit and vegetable compartment	<b>Crisper Cover</b>	Yes
<b>No. of adjustable shelves</b>	3	<b>Type of crisper/vegetable drawers cover</b>	Glass
<b>Number of fruit and vegetables drawers</b>	3	<b>Internal light in fridge</b>	Yes
<b>Shelves material</b>	Glass	<b>Type of internal light (fridge)</b>	LED

## Refrigerator Inner Door

Number of adjustable door shelves 3

Adjustable door shelves with wire support Yes

## Other Refrigerator features



MultiFlow Yes

## Other technical features



Functions display

Holiday, Fast cooling, Temperature alarm, Demo Mode, Sabbath

Door open alarm

Yes

Temperature Alarm

Yes

Antibacterial Gasket

Yes

Type of temperature control

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Inverter

Refrigerant Quantity (gr)

3.0 oz

Foam agent

Cyclopentane

## Performance / Energy Label - Reg. 2019

Annual energy consumption 343 kWh/year

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 17.4 cu. ft.

Total net volume 17.4 cu. ft.

## Electrical Connection

Current 2.5 A

Power supply cable length 78 3/4 "

Voltage (V) 115 V

Frequency (Hz) 60 Hz

Plug (B) NEMA 5-15P

## Logistic Information

Width 29 15/16 "

Height of the built-in niche 84 "

Width of the built-in niche 30 "

Product width with maximum doors opening 34 "


Depth without handle 24 7/16 "

Product depth with handle 28 15/16 "

Depth of the built-in niche 25 "

Height 83 7/16 "

Product depth with doors open at 90° 52 5/8 "



---

## Compatible Accessories

---








RSFZLK



---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.                          |  | Antibacterial treatment: antibacterial treatment to ensure better hygiene   |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.  |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Air plus: keeps food fresher for longer.  |
|  | SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.  |   |   |