

RSDU30RX



| | |
|--------------------------|--|
| Product Family | Refrigerator |
| Installation | Built-in |
| Category | One Door |
| Built-in niche | >200 |
| Sistema Total No - Frost | Yes |
| Cooling type | Total No Frost - Double Cooling system |
| Defrost | Automatic |
| Hinge type | Door on door |
| Hinge position | Right |
| EAN code | 8017709332723 |



Aesthetics

| | | | |
|-----------------|-----------------|------------------------------|-------------------|
| Aesthetic | Universale | Side material | Steel |
| Colour | Stainless steel | Logo | Applied |
| Material | Stainless steel | Door shelves profile color | Silver |
| Door steel type | Normal | Drawers profile color | Silver |
| Handle | External | Color of glass shelf profile | Silver |
| Handle type | Fixed | Display | TFT |
| Handle colour | Stainless steel | Display position | Interno (sul Top) |
| Logo colour | Stainless Steel | Water Filter | Yes |

Refrigerator compartment features



| | | | |
|--|---------------------------------|---|------------------|
| Number of compartments | 3 | Type of crisper/vegetable drawers cover | On sliding rails |
| Compartment types | Fruit and vegetable compartment | Crisper Cover | Yes |
| No. of adjustable shelves | 3 | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers | 3 | Internal light in fridge | Yes |
| Type of adjustable shelves | Glass | Type of internal light (fridge) | LED |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|---|-----|
| Number of adjustable door shelves | 3 | Adjustable door shelves with wire support | Yes |
|-----------------------------------|---|---|-----|

Other Refrigerator features



| | |
|-----------|-----|
| MultiFlow | Yes |
|-----------|-----|

Other technical features



| | |
|-----------------------------|--|
| Functions display | Holiday, Fast cooling, Temperature alarm, Demo Mode, Sabbath |
| Door open alarm | Yes |
| Temperature Alarm | Yes |
| Antibacterial Gasket | Yes |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Inverter |
| Refrigerant Quantity (gr) | 3.0 oz |
| Foam agent | Cyclopentane |

Performance / Energy Label - Reg. 2019


| | | | |
|---------------------------|--------------|------------------|---------------|
| Annual energy consumption | 343 kWh/year | Total net volume | 17.41 cu. ft. |
|---------------------------|--------------|------------------|---------------|

Electrical Connection

| | | | |
|----------------|-------|---------------------------|----------------|
| Current | 2.5 A | Power supply cable length | 78 3/4 " |
| Voltage (V) | 115 V | Plug | (B) NEMA 5-15P |
| Frequency (Hz) | 60 Hz | | |

Logistic Information

| | | | |
|-----------------------------|------------|--|------------|
| Width | 29 15/16 " | Height of the built-in niche | 84 " |
| Width of the built-in niche | 30 " | Product width with maximum doors opening | 34 " |
| Depth without handle | 24 7/16 " | Product depth with handle | 28 15/16 " |
| Depth of the built-in niche | 25 " | Product depth with doors open at 90° | 52 5/8 " |
| Height | 83 7/16 " | | |



Compatible Accessories

RSFZLK



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.



Antibacterial treatment: antibacterial treatment to ensure better hygiene



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Air plus: keeps food fresher for longer.