

RSDU30RX



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	>200
Sistema Total No - Frost	Yes
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Door on door
Hinge position	Right
EAN code	8017709332723



Aesthetics

Aesthetic	Universale	Side material	Steel
Colour	Stainless steel	Logo	Applied
Material	Stainless steel	Door shelves profile color	Silver
Door steel type	Normal	Drawers profile color	Silver
Handle	External	Color of glass shelf profile	Silver
Handle type	Fixed	Display	TFT
Handle colour	Stainless steel	Display position	Interno (sul Top)
Logo colour	Stainless Steel	Water Filter	Yes

Refrigerator compartment features



Number of compartments	3	Type of crisper/vegetable drawers cover	On sliding rails
Compartment types	Fruit and vegetable compartment	Crisper Cover	Yes
No. of adjustable shelves	3	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	3	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves 3

Adjustable door shelves with wire support Yes

Other Refrigerator features



MultiFlow Yes

Other technical features



Functions display

Holiday, Fast cooling, Temperature alarm, Demo Mode, Sabbath

Door open alarm

Yes

Temperature Alarm

Yes

Antibacterial Gasket

Yes

Type of temperature control

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Inverter

Refrigerant Quantity (gr)

3.0 oz

Foam agent

Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption 343 kWh/year

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 17.4 cu. ft.

Total net volume 17.4 cu. ft.

Electrical Connection

Current 2.5 A

Power supply cable length 78 3/4 "

Voltage (V) 115 V

Plug (B) NEMA 5-15P

Frequency (Hz) 60 Hz

Logistic Information

Width 29 15/16 "

Height of the built-in niche 84 "

Width of the built-in niche 30 "

Product width with maximum doors opening 34 "


Depth without handle 24 7/16 "

Product depth with handle 28 15/16 "

Depth of the built-in niche 25 "

Height 83 7/16 "

Product depth with doors open at 90° 52 5/8 "










Compatible Accessories

RSFZLK



Symbols glossary

- | | | | |
|--|--|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Antibacterial treatment: antibacterial treatment to ensure better hygiene |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption. |  | Air plus: keeps food fresher for longer. |
|  | SABBATH: function that allows to cook food respecting Judaism's day of rest provisions. | | |