

RTU304GX

Product family	Cooktop
Installation	Proud or flush mounted
Dimensions	30"
Type	Gas
EAN code	8017709292508



Aesthetic



Aesthetics	Portofino
Color	Stainless steel
Finishing	Satin
Material	Stainless steel
Stainless steel type	Brushed
Grates	Cast iron
Burners material	Aluminum
Control setting type	Control knobs
No. of controls	4
Controls color	Stainless steel effect

Program / Functions

Cooking zones	4
---------------	---

Technical Features

Front-left	- 3.50 kW - 12000 BTU
Rear-left	- 3.50 kW - 12000 BTU
Rear-right	- 3.50 kW - 12000 BTU
Front-right	- 5.30 kW - 18000 BTU
Gas safety valves	Yes

Accessories Included

Other accessories


Simmer Cap

Electrical Connection

Plug	(B) USA 120V	Electric cable type	Single phase
Nominal power	12 W	Frequency	60 Hz
Current	0.1 A	Power cord length	47 1/4 "
Voltage	120 V	Plug	B

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 LPG liquid gas
Gas connection	Cylindric		



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control

Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Accurate power adjustment via knobs, for more precise cooking level control