

RTU304GX

Product family	Cooktop
Installation	Proud or flush mounted
Dimensions	30"
Type	Gas
EAN code	8017709292508



Aesthetic



Aesthetics

Color

Finishing

Material

Stainless steel type

Grates

Burners material

Control setting type

No. of controls

Controls color

Logo

Portofino

Stainless steel

Satin

Stainless steel

Brushed

Cast iron

Aluminum

Control knobs

4

Stainless steel effect

Applied

Program / Functions

Cooking zones

4

Technical Features

Front-left - 12000 BTU

Rear-left - 12000 BTU

Rear-right - 12000 BTU

Front-right - 18000 BTU

Gas safety valves Yes

Accessories Included


Other accessories Simmer Cap

Electrical Connection

Nominal power	12 W	Frequency	60 Hz
Current	0.1 A	Power cord length	47 1/4 "
Voltage	120 V	Plug	(B) USA 120V
Electric cable type	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 LPG liquid gas
Gas connection	Cylindric		



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.