

RTU366GX

| | |
|-----------------------|-----------------------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile or FullyFlushed |
| Dimensions | 36" |
| Type | Gas |
| EAN code | 8017709292492 |



Aesthetics



| | |
|--------------------------------|-----------------|
| Aesthetic | Portofino |
| Colour | Stainless steel |
| Finishing | Satin |
| Material | Enamelled |
| Type of steel | Brushed |
| Pan stands | Cast iron |
| Burners Material | Alluminium |
| Type of control setting | Control knobs |
| No. of controls | 6 |
| Controls colour | Steel effect |
| Logo | Applied |

Program / Functions

| | |
|--------------------------------|---|
| No. of gas cook zones | 6 |
| Total no. of cook zones | 6 |

Technical Features

Front-left - 18000 BTU
Rear-left - 12000 BTU
Front-centre - 12000 BTU
Rear-centre - 12000 BTU
Rear-right - 12000 BTU
Front-right - 18000 BTU

Gas safety valves Yes

Accessories Included


Other accessories Simmer Cap

Electrical Connection

| | | | |
|----------------------------------|--------------|---------------------------|--------------|
| Electrical connection rating (W) | 12 W | Frequency (Hz) | 60 Hz |
| Current | 0.1 A | Power supply cable length | 47 1/4 " |
| Voltage (V) | 120 V | Plug | (B) USA 120V |
| Type of electric cable | Single phase | | |

Gas Connection

| | | | |
|----------------|-----------------|----------------------------|--------------------|
| Gas Type | G20 Natural gas | Other gas nozzles included | G30 GPL Liquid gas |
| Gas connection | Cilindrical | | |



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control