S4C102E



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	102
Reference width	Until 60 cm
Reference height	100 - 160 cm
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709337100

Aesthetics

Aesthetic	Universale	**Side colour**	White
Colour	White	**Logo**	Silk screen
Material	Metal sheet	**Door shelves profile color**	White
Side material	Steel	**Color of glass shelf profile**	White

Refrigerator compartment features

Number of compartments	1	**Type of crisper/vegetable drawers cover**	Standard
Compartment types	Fruit and vegetable compartment	**Crisper Cover**	Yes
No. of adjustable shelves	2	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	1	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	2		

Other Refrigerator features

Accessories	Egg tray

Freezer compartment features

Internal freezer compartment	Yes

Other technical features

Freezer compartment accessories	Ice cube tray
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	34 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	148 kWh/a	**Airborne acoustical noise emissions**	36 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	7,90 h
Airborne acoustical noise emission class	C	**4 star - Freezing capacity**	3,0 kg/24h
Total net volume	165 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	17 l	**EEI**	124 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	148 l		


Electrical Connection

Electrical connection rating	100 W	**Frequency (Hz)**	50 Hz
Current	0,7 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	548 mm	**Height**	1021 mm

Width of the built-in niche	560 mm	**Height of the built-in niche**	1030 mm
Depth without handle	549 mm	**Product width with maximum doors opening**	548 mm
Depth of the built-in niche	550 mm	**Spacer depth**	38 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche