


S4C102E



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	102
Reference width	Until 60 cm
Reference height	100 - 160 cm
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709337100



Aesthetics

Aesthetic	Universale	Side colour	White
Colour	White	Logo	Silk screen
Material	Metal sheet	Door shelves profile color	White
Side material	Steel	Color of glass shelf profile	White

Refrigerator compartment features



Number of compartments	1	Type of crisper/vegetable drawers cover	Standard
Compartment types	Fruit and vegetable compartment	Crisper Cover	Yes
No. of adjustable shelves	2	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Shelves material	Glass	Type of internal light (fridge)	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	2		

Other Refrigerator features

Accessories Egg tray


Freezer compartment features

Internal freezer compartment Yes

Other technical features

Freezer compartment accessories	Ice cube tray
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	34 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

			
Annual energy consumption	148 kWh/a	Airborne acoustical noise emissions	36 dB(A) re 1 pW
Energy efficiency class	E	Temperature Rise Time	7,90 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	3,0 kg/24h
Total net volume	165 l	Climate class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	17 l	EEl	124 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	148 l		

Electrical Connection


Electrical connection rating	100 W	Frequency (Hz)	50 Hz
Current	0,7 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(F;E) Schuko

Logistic Information

Width	548 mm	Height	1021 mm
-------	--------	--------	---------

Width of the built-in niche 560 mm
Depth without handle 549 mm
Depth of the built-in niche 550 mm

Height of the built-in niche 1030 mm
Product width with maximum doors opening 548 mm
Spacer depth 38 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche