S4L090E



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	88
Reference width	Until 60 cm
Reference height	Until 100 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709337094

Aesthetics

Aesthetic	Universale	**Side colour**	White
Colour	White	**Logo**	Silk screen
Design	Flat	**Door shelves profile color**	White
Material	Metal sheet	**Drawers profile color**	White
Side material	Steel	**Color of glass shelf profile**	White

Refrigerator compartment features

Number of compartments	1	**Type of crisper/vegetable drawers cover**	Standard
Compartment types	Fruit and vegetable compartment	**Crisper Cover**	Yes
No. of adjustable shelves	3	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	1	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	2		

Other Refrigerator features

Accessories	Kit listeria, Egg tray

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	20 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	93 kWh/a
Energy efficiency class	E
Airborne acoustical noise emission class	C
Total net volume	142 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	142 l
Airborne acoustical noise emissions	36 dB(A) re 1 pW
Climate class	SN, N, ST, T
EEI	93 %

Electrical Connection

Electrical connection rating	100 W
Current	0,6 A
Voltage (V)	230-240 V
Frequency (Hz)	50 Hz
Power supply cable length	180 cm
Plug	(F;E) Schuko

Logistic Information

Width	548 mm
Width of the built-in niche	560 mm
Depth without handle	549 mm
Depth of the built-in niche	550 mm
Height	873 mm
Height of the built-in niche	880 mm


min. 200cm²
549
540
880
873
560
min.550
min.38
874
min. 200cm²

Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



E: Product energy rating



Built-in niche



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.