

# S4L090E



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Built-in
<b>Category</b>	One Door
<b>Built-in niche</b>	88
<b>Reference width</b>	Until 60 cm
<b>Reference height</b>	Until 100 cm
<b>Cooling type</b>	Static
<b>Defrost</b>	Automatic
<b>Hinge type</b>	Sliding
<b>Kitchen panel</b>	Not supplied
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes
<b>EAN code</b>	8017709337094



## Aesthetics

<b>Aesthetic</b>	Universale	<b>Side colour</b>	White
<b>Colour</b>	White	<b>Logo</b>	Silk screen
<b>Design</b>	Flat	<b>Door shelves profile color</b>	White
<b>Material</b>	Metal sheet	<b>Drawers profile color</b>	White
<b>Side material</b>	Steel	<b>Color of glass shelf profile</b>	White

## Refrigerator compartment features



<b>Number of compartments</b>	1	<b>Type of crisper/vegetable drawers cover</b>	Standard
<b>Compartment types</b>	Fruit and vegetable compartment	<b>Crisper Cover</b>	Yes
<b>No. of adjustable shelves</b>	3	<b>Type of crisper/vegetable drawers cover</b>	Glass
<b>Number of fruit and vegetables drawers</b>	1	<b>Internal light in fridge</b>	Yes
<b>Shelves material</b>	Glass	<b>Type of internal light (fridge)</b>	LED

## Refrigerator Inner Door

<b>No. of door shelves with transparent cover</b>	1	<b>No. of bottle shelves</b>	1
<b>Number of adjustable door shelves</b>	2		

## Other Refrigerator features

Accessories Kit listeria, Egg tray

## Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	20 g
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019


			
Annual energy consumption	93 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	142 l
Energy efficiency class	E	Airborne acoustical noise emissions	36 dB(A) re 1 pW
Airborne acoustical noise emission class	C	Climate class	SN, N, ST, T
Total net volume	142 l	EEI	93 %

## Electrical Connection

Electrical connection rating	100 W	Frequency (Hz)	50 Hz
Current	0,6 A	Power supply cable length	180 cm
Voltage (V)	230-240 V	Plug	(F;E) Schuko

## Logistic Information

Width	548 mm	Depth of the built-in niche	550 mm
Width of the built-in niche	560 mm	Height	873 mm
Depth without handle	549 mm	Height of the built-in niche	880 mm



---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Energy efficiency class E   |
|  | E: Product energy rating  |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Built-in niche  |   |   |