

# **S4L100E**





Product Family Refrigerator
Installation Built-in
Category One Door
Built-in niche 102

Reference width Until 60 cm
Reference height 100 - 160 cm

Cooling type Static

Defrost Automatic

Hinge type Sliding

Kitchen panel Not supplied

Hinge position Right

Reversible door Yes

**EAN code** 8017709337117



Yes

#### **Aesthetics**

Universale Side material **Aesthetic** Steel Colour White Side colour White Design Flat Logo Silk screen Material Metal sheet Door shelves profile White

Handle type Fixed C

Logo colour Black Color of glass shelf White

profile

#### Refrigerator compartment features



 $\begin{array}{ccc} \text{Number of} & 1 & \text{Crisper Cover} \\ \text{compartments} & & \text{Type of} \end{array}$ 

compartment

compartmentsType ofGlassCompartment typesFruit and vegetablecrisper/vegetable

No. of adjustable 3 No. of lights refrigerator 1

shelves compartment

Number of fruit and 1 Internal light in fridge Yes vegetables drawers Type of internal light LED

Type of adjustable Glass (fridge)

shelves (Inage)

Type of Standard crisper/vegetable

## **Refrigerator Inner Door**

drawers cover

No. of bottle shelves 1

drawers cover



No. of door shelves with 1

transparent cover

Number of adjustable 2

door shelves

### Other Refrigerator features

Accessories Egg tray

#### Other technical features

Type of temperature control Electro-mechanical

No. of compressors1Refrigerant gas typeR600aType of compressorStandardRefrigerant Quantity (g)20 g

Foam agent Cyclopentane

### Performance / Energy Label - Reg. 2019

E A

Annual energy 98 kWh/a Sum of the volumes of 182 l

consumption the chill compartment(s)

Energy efficiency class E and the unfrozen

compartment(s)

noise emission class

Airborne acoustical noise emissions

Total net volume 182 | Climate class SN, N, ST EEI 99 %

35 dB(A) re 1 pW

**Electrical Connection** 

Electrical connection 70 W Frequency (Hz) 50 Hz

rating Power supply cable 240 cm
Current 0,4 A length

Voltage (V) 230-240 V Plug (F;E) Schuko

**Logistic Information** 


Width 548 mm Height 1021 mm
Width of the built-in 560 mm Height of the built-in 1030 mm

Width of the built-in 560 mm Height of the built-in 1030 mm niche

Depth without handle 549 mm Product width with 548 mm
Depth of the built-in 550 mm maximum doors opening

Depth of the built-in 550 mm maximum doors opening spacer depth 38 mm







# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche

Energy efficiency class E