

# S4L100E



## Product Family

Installation	Built-in
Category	One Door
Built-in niche	102
Reference width	Until 60 cm
Reference height	100 - 160 cm
Cooling type	Static
Defrost	Automatic
Hinge type	Sliding
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709337117



## Aesthetics

Aesthetic	Universale	Side material	Steel
Colour	White	Side colour	White
Design	Flat	Logo	Silk screen
Material	Metal sheet	Door shelves profile color	White
Handle type	Fixed	Color of glass shelf profile	White
Logo colour	Black		

## Refrigerator compartment features



Number of compartments	1	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	1
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	Standard		

## Refrigerator Inner Door

No. of bottle shelves	1
-----------------------	---

No. of door shelves with 1 transparent cover

Number of adjustable door shelves 2

## Other Refrigerator features

Accessories Egg tray

## Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	20 g
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019


	A	G	
Annual energy consumption	98 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	182 l
Energy efficiency class	E	Airborne acoustical noise emissions	35 dB(A) re 1 pW
Airborne acoustical noise emission class	B	Climate class	SN, N, ST
Total net volume	182 l	EEI	99 %

## Electrical Connection

Electrical connection rating	70 W	Frequency (Hz)	50 Hz
Current	0.4 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(F;E) Schuko

## Logistic Information

Width	548 mm	Height	1021 mm
Width of the built-in niche	560 mm	Height of the built-in niche	1030 mm
Depth without handle	549 mm	Product width with maximum doors opening	548 mm
Depth of the built-in niche	550 mm	Spacer depth	38 mm



## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche