# S4L120E



| | |
|---|---|
| **Product Family** | Refrigerator |
| **Installation** | Built-in |
| **Category** | One Door |
| **Built-in niche** | 122 |
| **Reference width** | Until 60 cm |
| **Reference height** | 100 - 160 cm |
| **Cooling type** | Static |
| **Defrost** | Automatic |
| **Hinge type** | Sliding |
| **Hinge position** | Right |
| **Reversible door** | Yes |
| **EAN code** | 8017709337131 |

## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Universale | **Side colour** | White |
| **Colour** | White | **Logo** | Silk screen |
| **Design** | Flat | **Door shelves profile color** | White |
| **Material** | Metal sheet | **Drawers profile color** | White |
| **Side material** | Steel | **Color of glass shelf profile** | White |

## Refrigerator compartment features

| | | | |
|---|---|---|---|
| **Number of compartments** | 1 | **Crisper Cover** | Yes |
| **Compartment types** | Fruit and vegetable compartment | **Type of crisper/vegetable drawers cover** | Glass |
| **No. of adjustable shelves** | 4 | **No. of lights refrigerator compartment** | 1 |
| **Number of fruit and vegetables drawers** | 1 | **Internal light in fridge** | Yes |
| **Shelves material** | Glass | **Type of internal light (fridge)** | LED |
| **Type of crisper/vegetable drawers cover** | Standard | | |

## Refrigerator Inner Door

| | | | |
|---|---|---|---|
| **Number of adjustable door shelves** | 3 | **No. of bottle shelves** | 1 |

## Other Refrigerator features

| | |
|---|---|
| **Accessories** | Kit listeria, Egg tray |

## Other technical features

| | |
|---|---|
| **Type of temperature control** | Electro-mechanical |
| **No. of compressors** | 1 |
| **Refrigerant gas type** | R600a |
| **Type of compressor** | Standard |
| **Refrigerant Quantity (g)** | 25 g |
| **Foam agent** | Cyclopentane |

## Performance / Energy Label - Reg. 2019




| | | | |
|---|---|---|---|
| **Annual energy consumption** | 101 kWh/a | **Airborne acoustical noise emissions** | 34 dB(A) re 1 pW |
| **Energy efficiency class** | E | **Fresh Food compartment - Gross Volume** | 208 l |
| **Airborne acoustical noise emission class** | B | **Climate class** | SN, N, ST, T |
| **Total net volume** | 208 l | **EEI** | 99 % |
| **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 208 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 130 W | **Frequency (Hz)** | 50 Hz |
| **Current** | 1 A | **Power supply cable length** | 240 cm |
| **Voltage (V)** | 230-240 V | **Plug** | (F;E) Schuko |

## Logistic Information

| | | | |
|---|---|---|---|
| **Width** | 548 mm | **Height** | 1218 mm |
| **Width of the built-in niche** | 560 mm | **Height of the built-in niche** | 1225 mm |
| **Depth without handle** | 549 mm | **Product width with maximum doors opening** | 548 mm |
| **Depth of the built-in niche** | 550 mm | | |


min 200cm²
549
540
560
1225
1218
min. 550
1219
min.38
min 200cm²

## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.




Built-in niche




Energy efficiency class E