

S64S



Product Family
Built-in
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709175733



Aesthetics



Aesthetics

Colour

Finishing

Material

Type of steel

Pan stands

Burners

Burner Material

Type of control setting

Control knobs position

No. of controls

Controls colour

Serigraphy colour

Alternative colours available

Cucina

Stainless steel

Brushed

Stainless Steel

Brushed

Enamelled flat

Smeg Contemporary

Aluminium

Control knobs

Lateral

4

Silver

Black

White, Black

Options



Standard cut out

478-482x555-560 mm

Technical Features

Front left - Gas - Rapid - 3.10 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 1.10 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Nominal power (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	7600 W
Other gas nozzles included	G30 GPL Liquid gas		



Not included accessories



7520EB

White cover suitable for 60 cm side control hobs.



7520NE

Black cover suitable for 60 cm side control hobs.



7520X

Glass cover suitable for 60 cm side control hobs.



BB3679

Cast Iron griddle



GRC60

Cast Iron pan stands suitable for 60 cm hobs.



TPK

Stainless steel grill plate to cook Teppanyaki dishes



WOKGHU

Cast-Iron WOK Support

Symbols glossary



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Knobs control



CUT_OUT_STANDARD_72dpi