

# **S64S**



Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Gas
Type Gas

**EAN code** 8017709175733



### **Aesthetics**



AestheticSelezioneColourStainless steel

**Finishing** Satin

MaterialStainless SteelType of steelBrushedPan standsEnamelled flatBurnersSmag Contempor

Burners Smeg Contemporary
Burners Material Alluminium

Type of control setting

Control knobs position

No. of controls

Controls colour

Serigraphy colour

Controls Controls

Black

Alternative colours available White, Black

## **Programs / Functions**

No. of gas cook zones

4
Total no. of cook zones

### **Options**



**Worktop Cut-Out** 478-482x555-560 mm



### **Technical Features**

Front-left - Gas - Rapid - 3.10 kW

Rear-left - Gas - Semi Rapid - 1.80 kW

Rear-right - Gas - Semi Rapid - 1.80 kW

Front-right - Gas - AUX - 1.10 kW

Gas safety valves Yes **Automatic Ignition** Yes

50/60 Hz

120 cm

#### **Electrical Connection**

Plug Not present Type of electric cable Yes, Single phase

installed **Electrical connection** 1 W

rating (W)

Voltage (V) 220-240 V

Frequency (Hz) Power supply cable


length

### **Gas Connection**

**Gas Type** G20 Natural gas Other gas connections Conical provided

**Gas** connection Cilindrical Gas connection rating 7600 W Other gas nozzles G30 GPL Liquid gas (W)

included





## **Compatible Accessories**



#### 7520EB

White cover suitable for 60 cm side control hobs.



#### 7520NE

Black cover suitable for 60 cm side control hobs.



#### 7520X

Glass cover suitable for 60 cm side control hobs.



#### BB3679

Cast Iron griddle



#### GRC60

Cast Iron pan stands suitable for 60 cm hobs.



#### TPK

Stainless steel grill plate to cook Teppanyaki dishes





Cast iron WOK Support



## Symbols glossary



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



CUT\_OUT\_STANDARD\_72dpi



Knobs control



### Benefit (TT)

#### Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Accurate power adjustment via knobs, for more precise cooking level control