

# S64SN



Product Family	Hob
Built-in type	Traditional
Dimensions	60 cm
Power supply	Gas
Type	Gas
EAN code	8017709175788



## Aesthetics



Aesthetic	Selezione
Colour	Black
Material	Enamelled
Pan stands	Enamelled flat
Burners	Smeg Contemporary
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Lateral
No. of controls	4
Controls colour	Black
Serigraphy colour	Beige
Alternative colours available	White, Stainless steel

## Programs / Functions

No. of gas cook zones	4
Total no. of cook zones	4

## Options



Worktop Cut-Out	478-482x555-560 mm
-----------------	--------------------

## Technical Features

Front-left - Gas - Rapid - 3.10 kW  
 Rear-left - Gas - Semi Rapid - 1.80 kW  
 Rear-right - Gas - Semi Rapid - 1.80 kW  
 Front-right - Gas - AUX - 1.10 kW


Gas safety valves                      Yes                                      Automatic Ignition                      Yes

## Electrical Connection

Plug	Not present	Type of electric cable installed	Yes, Single phase
Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm

## Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	7600 W
Other gas nozzles included	G30 GPL Liquid gas		



---

## Compatible Accessories

---

**7520EB**

White cover suitable for 60 cm side control hobs.

**7520NE**

Black cover suitable for 60 cm side control hobs.

**7520X**

Glass cover suitable for 60 cm side control hobs.

**BB3679**

Cast Iron griddle

**GRC60**

Cast Iron pan stands suitable for 60 cm hobs.

**TPK**

Stainless steel grill plate to cook Teppanyaki dishes

**WOKGHU**

Cast iron WOK Support

---

## Symbols glossary

---



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



CUT\_OUT\_STANDARD\_72dpi



Knobs control

---

## Benefit (TT)

---

### Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Accurate power adjustment via knobs, for more precise cooking level control