S8F174NE



Product Family	Freezers
Installation	Built-in
Built-In Niche	178 cm
Category	Single door
Cooling type	No Frost
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes

Aesthetics

Aesthetic	Universale	**Side colour**	White
Colour	White	**Logo**	Silk screen
Material	Steel	**Drawers profile color**	Silver
Side material	Metal	**Display**	LCD Touch

Freezer compartment features

Number of drawers	5
No. of compartments with flap	2

Other technical features

Freezer compartment accessories	Accumulator, Ice cube tray	**No. of compressors**	1
Functions display	Fast Feezing, Temperature Alarm, Cooling timer	**Refrigerant gas type**	R600a
Fast freezing button	Yes	**Type of compressor**	Standard
Temperature alarm lamp	Yes	**Refrigerant Quantity (g)**	48 g
Type of temperature control	Electronic	**Foam agent**	Cyclopentane

Performance / Energy Label - Reg. 2019


Annual energy consumption	233 kWh/a
Total net volume	204 l
Energy efficiency class	E
Airborne acoustical noise emission class	C
Noise level	39 dB(A) re 1 pW
Sum of the volumes of the frozen compartment(s)	204 l
Temperature Rise Time	9.00 h
4 star - Freezing capacity	15.7 kg/24h
Climate class	SN, N, ST, T
EEI	100 %

Electrical Connection

Electrical connection rating	140 W
Current	1 A
Voltage	230-240 V
Frequency (Hz)	50 Hz
Power supply cable length	240 cm
Plug	(F;E) Schuko

Logistic Information

Width	548 mm
Width of the built-in niche	550 mm
Depth without handle	549 mm
Height, maximum value	1772 mm
Depth of the built-in niche	550 mm
Height of the built-in niche	1780 mm
Product width with maximum doors opening	548 mm



Symbols glossary



4 stars freezing compartment for better food preservation.



LCD display: to optimize performance and simplify the use of the appliance.



Built-in niche



Energy efficiency class E



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.