

S8L1743E



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709292348



Aesthetics



Aesthetic	Universale	Door shelves profile color	Silver
Colour	White	Drawers profile color	Silver
Material	Metal sheet	Color of glass shelf profile	Silver
Side material	Steel	Display	LCD Touch
Side colour	White	Display position	Interno (sul Top)
Logo	Silk screen		

Refrigerator compartment features



No. of adjustable shelves	5	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	On sliding rails	Type of internal light (fridge)	LED
Crisper Cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
---	---	------------------------------	---

Number of adjustable door shelves 3

Other Refrigerator features



Accessories Kit listeria, Egg tray Fan Yes

Other technical features



Functions display

Holiday, Fast cooling, Control lock, Temperature alarm, Cooling timer

Temperature alarm lamp

Yes

Door open alarm

Yes

Temperature Alarm

Yes

Type of temperature control

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Standard

Refrigerant Quantity (g)

38 g

Foam agent

Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption 114 kWh/a

Energy efficiency class E

Airborne acoustical noise emission class B

Total net volume 311 l

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 311 l

Airborne acoustical noise emissions 34 dB(A) re 1 pW

Climate class SN, N, ST

EEL 100 %

Electrical Connection

Electrical connection rating 100 W

Current 0,7 A

Voltage (V) 230-240 V

Frequency (Hz) 50 Hz

Power supply cable length 240 cm

Plug (F;E) Schuko

Logistic Information

Width 548 mm


Width of the built-in niche 560 mm

Height 1772 mm










Height of the built-in niche 1780 mm

Depth without handle 549 mm
Depth of the built-in niche 550 mm

Product width with maximum doors opening 548 mm



Symbols glossary

- | | | | |
|--|--|---|--|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |
|  | A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |  | LCD display: to optimize performance and simplify the use of the appliance. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |
|  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |  | Built-in niche |
|  | Energy efficiency class E | | |