# S8L174D3E



| | |
|---|---|
| **Product Family** | Refrigerator |
| **Installation** | Built-in |
| **Category** | One Door |
| **Built-in niche** | 178 |
| **Reference width** | Until 60 cm |
| **Reference height** | 160 - 200 cm |
| **Cooling type** | Fan assisted |
| **Defrost** | Automatic |
| **Hinge type** | Door on door |
| **Hinge position** | Right |
| **Reversible door** | Yes |
| **EAN code** | 8017709292287 |

## Aesthetics

| | | | |
|---|---|---|---|
| **Aesthetic** | Universale | **Door shelves profile color** | Silver |
| **Colour** | White | **Drawers profile color** | Silver |
| **Design** | Flat | **Color of glass shelf profile** | Chrome |
| **Side material** | Steel | **Display** | LCD Touch |
| **Side colour** | White | **Display position** | Interno (sul Top) |
| **Logo** | Silk screen | | |

## Refrigerator compartment features

| | | | |
|---|---|---|---|
| **No. of adjustable shelves** | 5 | **Type of crisper/vegetable drawers cover** | Glass |
| **Number of fruit and vegetables drawers** | 1 | **Low temperature compartment** | Yes |
| **Shelves material** | Glass | **Internal light in fridge** | Yes |
| **Type of crisper/vegetable drawers cover** | On sliding rails | **Type of internal light (fridge)** | LED |
| **Crisper Cover** | Yes | | |

## Refrigerator Inner Door

| | | | |
|---|---|---|---|
| **No. of door shelves with transparent cover** | 1 | **No. of bottle shelves** | 1 |

| | |
|---|---|
| **Number of adjustable door shelves** | 3 |

## Other Refrigerator features

| | | | |
|---|---|---|---|
| **Accessories** | Kit listeria, Egg tray | **Fan** | Yes |

## Other technical features

| | |
|---|---|
| **Functions display** | Holiday, Fast cooling, Cooling timer |
| **Door open alarm** | Yes |
| **Type of temperature control** | Electronic |
| **No. of compressors** | 1 |
| **Refrigerant gas type** | R600a |
| **Type of compressor** | Standard |
| **Refrigerant Quantity (g)** | 36 g |
| **Max weight door panel (fridge)** | 26 kg |
| **Foam agent** | Cyclopentane |

## Performance / Energy Label - Reg. 2019

| | | | |
|---|---|---|---|
| **Annual energy consumption** | 114 kWh/a | **Airborne acoustical noise emissions** | 35 dB(A) re 1 pW |
| **Energy efficiency class** | E | **Temperature Rise Time** | 0,00 h |
| **Airborne acoustical noise emission class** | B | **Climate class** | SN, N, ST, T |
| **Total net volume** | 311 l | **EEI** | 100 % |
| **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 311 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 100 W | **Frequency (Hz)** | 50 Hz |
| **Current** | 0,7 A | **Power supply cable length** | 240 cm |
| **Voltage (V)** | 230-240 V | **Plug** | (F;E) Schuko |

## Logistic Information

| | | | |
|---|---|---|---|
| **Width** | 556 mm | **Height** | 1769 mm |
| **Width of the built-in niche** | 560 mm | **Height of the built-in niche** | 1780 mm |

| | |
|---|---|
| **Depth without handle** | 549 mm |
| **Depth of the built-in niche** | 550 mm |
| **Product width with maximum doors opening** | 780 mm |



## Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.




LCD display: to optimize performance and simplify the use of the appliance.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.




Built-in niche