S8L174D3E



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic
Hinge type	Door on door
Hinge position	Right
Reversible door	Yes
EAN code	8017709292287

Aesthetics

Aesthetic	Universale	**Door shelves profile color**	Silver
Colour	White	**Drawers profile color**	Silver
Design	Flat	**Color of glass shelf profile**	Chrome
Side material	Steel	**Display**	LCD Touch
Side colour	White	**Display position**	Interno (sul Top)
Logo	Silk screen		

Refrigerator compartment features

No. of adjustable shelves	5	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	1	**Low temperature compartment**	Yes
Shelves material	Glass	**Internal light in fridge**	Yes
Type of crisper/vegetable drawers cover	On sliding rails	**Type of internal light (fridge)**	LED
Crisper Cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Number of adjustable door shelves	3

Other Refrigerator features

Accessories	Kit listeria, Egg tray	**Fan**	Yes

Other technical features

Functions display	Holiday, Fast cooling, Cooling timer
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	36 g
Max weight door panel (fridge)	26 kg
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019

Annual energy consumption	114 kWh/a	**Airborne acoustical noise emissions**	35 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	0,00 h
Airborne acoustical noise emission class	B	**Climate class**	SN, N, ST, T
Total net volume	311 l	**EEI**	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	311 l		


Electrical Connection

Electrical connection rating	100 W	**Frequency (Hz)**	50 Hz
Current	0,7 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	556 mm	**Height**	1769 mm
Width of the built-in niche	560 mm	**Height of the built-in niche**	1780 mm

Depth without handle	549 mm
Depth of the built-in niche	550 mm
Product width with maximum doors opening	780 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



LCD display: to optimize performance and simplify the use of the appliance.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Built-in niche