

# S8L174D3E



<b>Product Family</b>	Refrigerator
<b>Installation</b>	Built-in
<b>Category</b>	One Door
<b>Built-in niche</b>	178
<b>Reference width</b>	Until 60 cm
<b>Reference height</b>	160 - 200 cm
<b>Cooling type</b>	Fan assisted
<b>Defrost</b>	Automatic
<b>Hinge type</b>	Door on door
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes
<b>EAN code</b>	8017709292287



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Door shelves profile color</b>	Silver
<b>Colour</b>	White	<b>Drawers profile color</b>	Silver
<b>Design</b>	Flat	<b>Color of glass shelf profile</b>	Chrome
<b>Side material</b>	Steel	<b>Display</b>	LCD Touch
<b>Side colour</b>	White	<b>Display position</b>	Interno (sul Top)
<b>Logo</b>	Silk screen		

## Refrigerator compartment features



<b>No. of adjustable shelves</b>	5	<b>Type of crisper/vegetable drawers cover</b>	Glass
<b>Number of fruit and vegetables drawers</b>	1	<b>Low temperature compartment</b>	Yes
<b>Shelves material</b>	Glass	<b>Internal light in fridge</b>	Yes
<b>Type of crisper/vegetable drawers cover</b>	On sliding rails	<b>Type of internal light (fridge)</b>	LED
<b>Crisper Cover</b>	Yes		

## Refrigerator Inner Door

<b>No. of door shelves with transparent cover</b>	1	<b>No. of bottle shelves</b>	1
---	---	------------------------------	---

Number of adjustable door shelves 3

## Other Refrigerator features



Accessories Kit listeria, Egg tray Fan Yes

## Other technical features



Functions display	Holiday, Fast cooling, Cooling timer
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	36 g
Max weight door panel (fridge)	26 kg
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019



Annual energy consumption	114 kWh/a	Airborne acoustical noise emissions	35 dB(A) re 1 pW
Energy efficiency class	E	Temperature Rise Time	0.00 h
Airborne acoustical noise emission class	B	Climate class	SN, N, ST, T
Total net volume	311 l	EI	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	311 l		

## Electrical Connection


Electrical connection rating	100 W	Frequency (Hz)	50 Hz
Current	0.7 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(F;E) Schuko

## Logistic Information









Width	556 mm	Height	1769 mm
Width of the built-in niche	560 mm	Height of the built-in niche	1780 mm

Depth without handle 549 mm  
Depth of the built-in niche 550 mm

Product width with maximum doors opening 780 mm



## Symbols glossary

-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  LCD display: to optimize performance and simplify the use of the appliance.
-  Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.
-  Built-in niche
-  A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Energy efficiency class E