

S8L174D3E



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic
Hinge type	Door on door
Hinge position	Right
Reversible door	Yes
EAN code	8017709292287



Aesthetics



Aesthetic	Universale	Door shelves profile color	Silver
Colour	White	Drawers profile color	Silver
Design	Flat	Color of glass shelf profile	Chrome
Side material	Steel	Display	LCD Touch
Side colour	White	Display position	Interno (sul Top)
Logo	Silk screen		

Refrigerator compartment features



No. of adjustable shelves	5	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	On sliding rails	Type of internal light (fridge)	LED
Crisper Cover	Yes		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
--	---	-----------------------	---

Number of adjustable door shelves 3

Other Refrigerator features



Accessories	Kit listeria, Egg tray	Fan	Yes
-------------	------------------------	-----	-----

Other technical features



Functions display	Holiday, Fast cooling, Cooling timer
Door open alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	36 g
Max weight door panel (fridge)	26 kg
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	114 kWh/a	Airborne acoustical noise emissions	35 dB(A) re 1 pW
Energy efficiency class	E	Temperature Rise Time	0.00 h
Airborne acoustical noise emission class	B	Climate class	SN, N, ST, T
Total net volume	311 l	EEL	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	311 l		

Electrical Connection


Electrical connection rating	100 W	Frequency (Hz)	50 Hz
Current	0.7 A	Power supply cable length	240 cm
Voltage (V)	230-240 V	Plug	(F;E) Schuko

Logistic Information









Width	556 mm	Height	1769 mm
Width of the built-in niche	560 mm	Height of the built-in niche	1780 mm

Depth without handle 549 mm
Depth of the built-in niche 550 mm

Product width with maximum doors opening 780 mm



Symbols glossary

	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
	Energy efficiency class E		LCD display: to optimize performance and simplify the use of the appliance.
	Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.		Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Built-in niche