

SAB4604NR





Product Family Blast chiller
Category 45 cm compact

Vitality system Yes
Power supply Electric
Heat source Electric
Cooling type Fan assisted



Aesthetics

Material

AestheticDolce Stil NovoGlass TypeEclipseColourBlackDoorFull glassFinishingGlassHandleDolce Stil Novo

DesignFlatHandle ColourBlackComponent finishCopperLogoApplied

Program / Functions

Automatic programmes 52
No. of warming functions 5
N. cold functions 5
Automatic cleaning

Glass

Cold functions

Pre-cooling Preservation

Warming functions

Low Temperature Cooking 🐉 Defrost by time 🖽 Proving

Ready to eat Defrost by weight



Controls





Display / Clock TFT graphic, colour touch

screen 13

No. of display languages

Control setting

Display languages IT, EN, FR, NL, SP, PT, SWE,

RU, DE, DA, NO, PL, FI

Touch control

Options



Door open alarm Minute minder

Timer Controls Lock / Child

Safety

Other options

Yes Electronic

Yes

Child lock, Clock settings, Demo mode, Language

setting, Digital clock display, Tones

Cooking with probe

Cooling with probe

thermometer

Showroom demo option Yes **Tones**

Standard

Chronology Yes, the last 10 functions

1

Yes

utilized

Yes

Yes

Technical Features

Compressor type Refrigerant gas type

Refrigerant Quantity

Noise level

Temperature control Minimum Temperature

Maximum temperature

Cavity material No. of shelves

Shelves type

Standard

R290 130 g 48 dBA

Electronic

-35 °C 75°C

Stainless steel

3

Metal racks

No. of lights

Light type Halogen **Light Power** 20 W Light when door is Yes

opened

Upper heating element - 250 W

Power

Door opening type

Safety Thermostat

Heating suspended

when door is opened

Usable cavity space dimensions (HxWxD) Standard opening Yes

225 x 475 x 360 mm

Accessories included

Grid with back stop Temperature probe

1 Yes Other

Microfiber cloth

Electrical Connection

Plug Voltage

(F;E) Schuko 220-240 V

Current Frequency (Hz) 2.5 A 50 Hz




Electrical connection rating (W)

270 W

Power supply cable length

200 cm





Compatible Accessories

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Cooling: It allows to quickly cool the food, from the temperature of 80/90°C to 3°C in less than 90 minutes, to prevent bacterial growth, prolong the average life of food and maintain unaltered the quality of food.



Cold storage: allows to keep the food at the desired temperature between -35°C and +75°C and serve it at its best to enhance flavours and aromas.



Pre-cooling: allows the cavity to cool to -30 °C before inserting food into the blast chiller, to ensure the best cooling and freezing results. It is recommended to run a 15-minute pre-cooling cycle.



Bottles cooling: is possible to quickly cool wine and beverage bottles, reducing the need for storage in the refrigerator, with considerable space savings. Cooling of beverages takes place at about 1°C per minute.



Deep freezing of the food is a very quick process (From 0/90°C temperature to -18°C in less than 270 min) that allows to extend the average life of food (by up to 70% more) and keep the same organoleptic and nutritional characteristics of fresh food, because it avoid the formation of macro-crystals, that ruin the fibers of the food.



Electric



Automatic cleaning: a drying cycle of the cavity to be run with the door open, to eliminate any condensation formed during use.



Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height.

Available in several types and in different styles.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



Ready to eat: This function allows to keep food safely at the refrigerator temperature throughout the day, and heat it just before your return to make it warm, ready to be consumed.



Low temperature cooking: This function consists in cooking food at a constant temperature, lower than the traditional cooking temperature. Meat results more tender and juicy, maintaining a softness that only this cooking technique allows to obtain.



Dough leavening/ Yogurt: this function allows you to create the perfect conditions for correct leavening, keeping the mixture at controlled temperatures for the desired time, avoiding sudden changes in humidity levels. This feature also allows the creation of genuine homemade yogurt.



Thawing by time or by weight: is possible to defrost foods quickly and evenly, without cook the food partially and affect its protein content and with inevitably compromise the quality. The process controls the temperature, preserving the natural moisture and fragrance of the food.



Thawing by time or by weight: is possible to defrost foods quickly and evenly, without cook the food partially and affect its protein content and with inevitably compromise the quality. The process controls the temperature, preserving the natural moisture and fragrance of the food.



Benefit (TT)

TFT touch display

Full touch colour display for an easy and intuitive user interface

With its intuitive, full-colour interface, it offers an immediate and simple user experience, allowing programmes and functions to be selected quickly. Touch controls provide smooth and precise navigation, while the clear display of temperatures, times and settings ensures optimal control during each step of the process.

Removable temperature probe

High precision and exceptional results with the removable temperature probe, enabling perfect and controlled cooking

Insert the temperature probe to monitor the food's internal temperature for perfect results. The slow cooking function enhances flavors and tenderness while preserving essential nutrients.

Vitality System

The combined use of Smeg blast chiller, Galileo oven and vacuum drawer preserves organoleptic and nutritional qualities of food