SAB4604NX

Familie	Blast chiller
Categorie	Compact 45 cm
Vitality system	Ja
Voeding	Elektrisch
Warmtebron	Elektrisch
Type koeling	Geventileerd



Design

Esthetiek	Dolce Stil Novo	**Type glas**	Zwart
Kleur	Zwart	**Deur**	Geheel glas
Afwerking	Glas	**Handgreep**	Dolce Stil Novo
Design	Plat	**Kleur handgreep**	Zwart
Afwerking componenten	Roestvrij staal	**Logo**	Geassembleerd
Materiaal	Glas		

Program / Functions

Automatische programma's	52
Aantal verwarmingsfuncties	5
Aantal koelfuncties	5
Automatische reiniging	


Koude functies

- Bewaren
- Flessen koelen
- Invriezen
- Koeling
- Vooraf koelen

Opwarmfuncties

- Koken op lage temperatuur
- Ontdooien op tijd
- Rijsfunctie
- Gerecht verwarmen
- Ontdooien op gewicht

Bediening



Display	TFT grafisch met kleuren touch screen	**Weergave taal**	IT, EN, FR, NL, SP, PT, SWE, RU, DE, DA, NO, PL, FI
Aantal weergaven talen	13	**Regeling bediening**	Touch control

Opties



Alarm deur open	Ja	**Kerntemperatuurmeter**	Ja
Timer	Elektronisch	**Koelen met kerntemperatuurmeter**	Ja
Timer	1	**Showroom demo optie**	Ja
Kinderbeveiliging	Ja	**Geluid**	Standaard
Overige opties	Clock settings, Demo mode, Kinderbeveiliging, Taalinstelling, Weergave digitale klok, Tonen	**Geheugen**	Ja, de 10 laatst gebruikte functies

Technische specificaties

Type compressor	Standaard	**Aantal lampen**	1
Type koelmiddel	R290	**Soort verlichting**	LED
Hoeveelheid koelmiddel	130 g	**Vermogen lamp**	20 W
Geluidsniveau	48 dBA	**Automatische inschakeling verlichting bij openen deur**	Ja
Temperatuurregeling	Elektronisch		
Minimum temperatuur	-35 °C	**Bovenwarmte - vermogen**	250 W
Maximum temperatuur	75 °C	**Deur openen**	Standaard opening
Materiaal ovenruimte	Roestvrij staal	**Veiligheidsthermostaat**	Ja
Aantal kookniveaus	3	**Automatische uitschakeling verhittingselementen bij openen deur**	Ja
Type ovenrekken	Metalen zijsteunen		
		Afmetingen bruikbare interne ovenruimte (hxbxd)	225 x 475 x 360 mm


Meegeleverde accessoires

Ovenrooster met stop	1	**Overig**	Microvezeldoek
Kerntemperatuurmeter	Ja		


Elektrische aansluiting

Spanning	220-240 V	**Stroom**	2,5 A

Stekker	(F;E) Schuko	**Frequentie**	50 Hz
Aansluitwaarde	270 W	**Lengte voedingskabel**	200 cm



Compatibele Accessoires



SMOLD

Set van 7 siliconen vormpjes voor ijsjes, ijslolly's, pralines, ijsblokjes of om etenswaren te portioneren. Bruikbaar van -60 ° C tot + 230 ° C

Symbols glossary



Kinderslot: sommige modellen zijn voorzien van een apparaat om het programma / de cyclus te vergrendelen zodat het niet kan per ongeluk veranderd



Cold storage: allows to keep the food at the desired temperature between -35°C and +75°C and serve it at its best to enhance flavours and aromas.



Bottles cooling: is possible to quickly cool wine and beverage bottles, reducing the need for storage in the refrigerator, with considerable space savings. Cooling of beverages takes place at about 1°C per minute.



Electric



Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.



Ready to eat: This function allows to keep food safely at the refrigerator temperature throughout the day, and heat it just before your return to make it warm, ready to be consumed.



Dough leavening/ Yogurt: this function allows you to create the perfect conditions for correct leavening, keeping the mixture at controlled temperatures for the desired time, avoiding sudden changes in humidity levels. This feature also allows the creation of genuine homemade yogurt.



Thawing by time or by weight: is possible to defrost foods quickly and evenly, without cook the food partially and affect its protein content and with inevitably compromise the quality. The process controls the temperature, preserving the natural moisture and fragrance of the food.



Cooling: It allows to quickly cool the food, from the temperature of 80/90°C to 3°C in less than 90 minutes, to prevent bacterial growth, prolong the average life of food and maintain unaltered the quality of food.



Pre-cooling: allows the cavity to cool to -30 °C before inserting food into the blast chiller, to ensure the best cooling and freezing results. It is recommended to run a 15-minute pre-cooling cycle.



Deep freezing of the food is a very quick process (From 0/90°C temperature to -18°C in less than 270 min) that allows to extend the average life of food (by up to 70% more) and keep the same organoleptic and nutritional characteristics of fresh food, because it avoid the formation of macro-crystals, that ruin the fibers of the food.



Automatic cleaning: a drying cycle of the cavity to be run with the door open, to eliminate any condensation formed during use.



Touch control: dankzij de gebruiksvriendelijke Touch control kan het apparaat met één druk op de knop worden geprogrammeerd.



Low temperature cooking: This function consists in cooking food at a constant temperature, lower than the traditional cooking temperature. Meat results more tender and juicy, maintaining a softness that only this cooking technique allows to obtain.



Thawing by time or by weight: is possible to defrost foods quickly and evenly, without cook the food partially and affect its protein content and with inevitably compromise the quality. The process controls the temperature, preserving the natural moisture and fragrance of the food.