

SABI303FR



Product Family	Refrigerator
Installation	Built-in
Category	One Door
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic
Hinge type	Door on door
Hinge position	Right
Reversible door	Yes
EAN code	8017709314521



Aesthetics



Aesthetic	Universale	Logo	Silk screen
Colour	White	Color of glass shelf profile	White
Design	Flat	Display	LED
Side material	Steel	Display position	Interno (sul Top)
Side colour	White		

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Fruit and vegetable compartment	Bottle shelf	Yes
No. of adjustable shelves	4	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2	No. of lights	1
Shelves material	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	On sliding rails	Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves	4	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Humidity Control	Yes	Fan	Yes
MultiFlow	Yes		

Other technical features

Functions display	Fast cooling
Door open alarm	Yes
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	33 g
Max weight door panel (fridge)	17 kg
Foam agent	Cyclopentane

Performance / Energy Label

Noise level	39 dB(A) re 1 pW
--------------------	------------------







Electrical Connection

Electrical connection rating	98 W	Frequency (Hz)	50 Hz
Current	0,5 A	Power supply cable length	210 cm
Voltage (V)	220-240 V	Plug	(I) Australia

Logistic Information

Width	540 mm	Height max	1770 mm
Depth without handle	545 mm	Product width with maximum doors opening	765 mm

Symbols glossary

- | | | | |
|--|--|---|---|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | LED display: to show programmes, functions and options selected and the time to the end of the cycle. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Air plus: keeps food fresher for longer. |  | Built-in niche |