

SAI3644B





Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709305567



Aesthetics







AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeAngled edge

Type of control setting Touch control back-lighted White

Slider Yes
Control knob position Front
Serigraphy colour Grey

Program / Functions





No. of induction cook zones

Time-setting options Automatic Shutdown

No. of cooking zones with booster

No. of Flexible zones

Main on/off switch

Power levels

Auto-vent 2.0

Total no. of cook zones

4

Options



























End of cooking alarm

Limited Power

Residual time indicator

Multizone Option Flexible Zone Type Standard cut out

MultiZone

Multizone Option Yes **Multizone Option** Yes Keep warm automatic Yes

function

Grill function Yes End cooking timer 4 Pause option Yes Minute minder 1

Yes

478-482x555-560 mm

Consumption Mode Limited Power

2400, 2500, 2600, 2700, Consumption Mode in W 2800, 2900, 3000, 3500, 4000, 4500, 5000, 5500,

6000, 7400 W

Advanced Eco Logic

Safety

Bridge option Yes Quick start Rapid level selection Yes

Showroom Demo Option Yes Control Lock / Child

Yes

Yes

Yes

Yes

Yes

Technical Features









Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan dimension pan detection **Permanent Automatic** Pot Detection with

indication of the relative control

Automatic switch off when overheat

Yes

Yes Yes

Multizone right - Booster 3.70 kW - 38.5x23.0 cm

Yes

7400 W

Automatic switch off when overflow

Residual heat indicator Yes **Protection against** Yes accidental start up

Electrical Connection

Electrical connection

rating (W)

Current 33 A 220-240 V Voltage (V) Voltage 2 (V) 380-415 V Type of electric cable


Type of electric cable supplied

Frequency (Hz)

Single and Double phase Yes, Single and Double

phase 50/60 Hz







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary

0	Automatic mer

Automatic merge of zones for a bigger area



P

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



CUT_OUT_STANDARD_72dpi



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.





...



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



MCI



Additional maximum power level for a better energy consumption



Darkness becomes light



Evolution Slider totally Back-lighted ghost effect



Benefit (TT)

Induction hobs

Fast cooking and precise temperature control

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

Evo Slider controls visible only when in use: an elegant touch that disappears after cooking, for a clean aesthetic

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

Grill function

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention

Auto-vent 2.0

Cooktop and hood connected via Bluetooth for synchronized and automatic operation