


# **SAI3963B**





Product Family Hob
Built-in type Traditional
Dimensions 90 cm
Power supply Electric
Type Induction

**EAN code** 8017709288532



#### **Aesthetics**







AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeAngled edge

Type of control setting Touch control back-lighted White

Slider Yes
Control knob position Front
Serigraphy colour Grey

## **Program / Functions**



No. of induction cook zones 6

Time-setting options Automatic Shutdown

No. of cooking zones with booster 6
No. of Flexible zones 3
Main on/off switch Yes
Power levels 9
Total no. of cook zones 6

## **Options**















1

Yes











**Multizone Option** Yes Flexible Zone Type MultiZone Standard cut out 490x860 mm Keep warm automatic Yes function **Grill function** Yes End cooking timer 6 Pause option Yes

14 Residual time indicator

**Limited Power** Consumption Mode

**Limited Power** 4200, 4500, 5000, 5500, Consumption Mode in W 6000, 6500, 7000, 7200,

7400 W

Advanced Eco Logic

Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

#### **Technical Features**





Minute minder



End of cooking alarm





Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Front-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Rear-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Multizone center - Booster 3.70 kW - 38.5x23.0 cm Multizone right - Booster 3.70 kW - 38.5x23.0 cm

**Automatic setting** Yes according to pan dimension pan detection Yes **Permanent Automatic** Yes Pot Detection with indication of the relative control

Automatic switch off Yes when overheat

Automatic switch off Yes when overflow

Residual heat indicator Yes Protection against Yes accidental start up

### **Electrical Connection**

**Electrical connection** 

11100 W

rating (W)

Current

49 A


Voltage (V)

220-240 V

Voltage 2 (V) Type of electric cable 380-415 V Double universal

50/60 Hz Frequency (Hz)







# **Compatible Accessories**



#### SCRP

Induction and ceramic hobs and teppanyaki scraper



### Symbols glossary

9

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE\_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN\_ZONE\_72dpi



---



Perfect fit in a 90 cm cabinet



Darkness becomes light



Evolution Slider totally Back-lighted ghost effect