

# **SAI4744D**



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions70 cmPower supplyElectricTypeInduction

**EAN code** 8017709302542



### **Aesthetics**





AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact EVO Slider

SliderYesSliderRedControl knob positionFrontSerigraphy colourGrey

# **Program / Functions**





No. of induction cook zones 4

Time-setting options Automatic Shutdown

No. of cooking zones with booster 4
No. of Flexible zones 1

Main on/off switch

Power levels

Auto-vent 2.0

Total no. of cook zones

Yes

4



### **Options**



**Multizone Option** Yes End of cooking alarm Yes Residual time indicator Flexible Zone Type MultiZone Yes

Standard cut out 478-482x555-560 mm **Limited Power** Advanced Eco Logic

Rapid level selection

2400 a 7400 - step 100 W

Yes

Phase

Consumption Mode **Multizone Option** Yes Limited Power Multizone Option Yes Consumption Mode in W Keep warm automatic Yes

Showroom Demo Option Yes function Control Lock / Child Yes **Grill function** Yes

Safety End cooking timer 4 Bridge option Yes Pause option Yes Cleaning option Yes Minute minder Quick start Yes

### **Technical Features**

Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.8x18.0 cm

Rear-right - Induction - Single - 1.40 kW - Booster 2.10 kW - - Ø 16.0 cm Front-right - Induction - Single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

**Automatic** setting Yes Automatic switch off Yes according to pan when overflow

dimension Residual heat indicator Yes pan detection Yes, min 7 cm Eco-Heat Yes **Permanent Automatic** Yes **Protection against** Yes

Pot Detection with accidental start up indication of the relative

control Minimum pan diameter Yes

Yes

# **Electrical Connection**

Automatic switch off

when overheat

indication


**Electrical connection** 7400 W Type of electric cable Yes, Double and Three

rating (W) Current 33 A Frequency (Hz) 50/60 Hz

220-240 V Voltage (V) Power supply cable 120 cm length Voltage 2 (V) 380-415 V

Terminal box 6 poles Type of electric cable Single phase







# **Compatible Accessories**

### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

### SCRP

Induction and ceramic hobs and teppanyaki scraper

### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



## Symbols glossary

Ē	9
Г	7
	F

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



CUT\_OUT\_STANDARD\_72dpi



Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE\_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN\_ZONE\_72dpi



\_











Additional maximum power level for a better energy consumption



Compact Slider back-lighted ghost effect



Automatic merge of zones for a bigger area



## Benefit (TT)

#### Induction hobs

Fast cooking and precise temperature control

#### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

### Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Immediate access to functions via touch display, for simple and intuitive control

### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

### **Keep Warm function**

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

### MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

### **Grill function**

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

### Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention

### Auto-vent 2.0

Cooktop and hood connected via Bluetooth for synchronized and automatic operation