

SAIG3953B



Product Family Hob

Built-in type Ultra-low profile

Dimensions 90 cm Power supply Mixed Type Mixed

8017709290207 **EAN** code



Aesthetics











Aesthetic Classic Colour Black Finishing Glass Material Glass Glass type Ceramic Glass edge Angled edge

Glass on Steel Yes Serie New Cast iron Pan stands

Burners Smeg Contemporary

Burners Material Brass

Type of control setting Control knobs

Slider Yes Slider White Control knob position Front No. of controls

Controls colour Steel effect Silk screen Logo Serigraphy colour Grey

Program / Functions



No. of gas cook zones 1 No. of induction cook zones 4

SMEG SPA 27/11/2025



Time-setting options **Automatic Shutdown**

No. of cooking zones with booster 4 No. of Flexible zones 2 Main on/off switch Yes Power levels 9 Total no. of cook zones 5

Options



Residual time indicator Multizone Option Yes Yes Flexible Zone Type MultiZone Limited Power Advanced Eco Logic

Consumption Mode Standard cut out 482-486x844-848 mm

Limited Power 2400 a 7400 - step 100 W Keep warm automatic Yes

Rapid level selection

Yes

Consumption Mode in W function Showroom Demo Option Yes **Grill function** Yes

Control Lock / Child Yes 4 End cooking timer Safety

Pause option Yes Bridge option Yes Minute minder Quick start Yes End of cooking alarm Yes

Technical Features

UR °C∓ Centre-left - Gas - UR - 6.00 kW - Booster 2.50 kW - Double booster 3.00 kW

Rear-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - Double booster 3.00 kW - 18.0x23.0 cm

Front-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - Double booster 3.00 kW - 18.0x23.0 cm

Rear-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - Double booster 3.00 kW - 18.0x23.0 cm

Front-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Multizone left - Booster 3.70 kW

38.5x23.0 cm

Multizone right - Booster 3.70 kW - 38.5x23.0 cm

Automatic switch off **Automatic setting** Yes Yes according to pan when overheat

dimension Automatic switch off

Yes pan detection Yes, min 9 cm when overflow

Permanent Automatic Yes Residual heat indicator Yes Pot Detection with **Protection against** Yes indication of the relative

accidental start up control

Yes

Yes

Accessories Included

Gas safety valves

Automatic Ignition

Linea control knobs kit Cast iron wok support 1 Other accessories

SMEG SPA 27/11/2025



Electrical Connection

Electrical connection

rating (W)

Current

Voltage (V) Voltage 2 (V) 7400 W

33 A

220-240 V

380-415 V

Type of electric cable

Frequency (Hz)
Power supply cable

length

Single and Double phase

50/60 Hz

120 cm

Gas Connection

Gas Type
Gas connection

Other gas nozzles

included

G20 Natural gas

Conical

G30 GPL Liquid gas

Other gas connections


provided

Gas connection rating

(W)

Cylindrical

6000 W



SMEG SPA 27/11/2025



Compatible Accessories

5MPV3MB



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 27/11/2025



Symbols glossary

	~
	· Y
0	((در
	9

...



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



...



Small cut-out for easy installation



Knobs control



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Heavy duty cast iron pan stands: for maximum stability and strength.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



PAUSE_72dpi



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Time elapsed: shows how long the cooking zone has been in use.



TWIN_ZONE_72dpi



•••



•••



Darkness becomes light

SMEG SPA 27/11/2025