

SAIG6954R



Product Family

Built-in type Ultra-low profile

Hob

Dimensions90 cmPower supplyMixedTypeMixed

EAN code 8017709317904



Aesthetics











Aesthetic Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlassGlass typeCeramicGlass edgeStraight edge

Glass on Steel Yes
Serie New
Pan stands Cast iron

Burners Smeg Contemporary

Burners Material Brass
Type of control setting Multi Slider

Slider Yes
Control knob position Front
No. of controls 1

Controls colourSteel effectLogoSilk screenSerigraphy colourGrey

Program / Functions





No. of gas cook zones 1

No. of induction cook zones 4

SMEG SPA 25/11/2025



Time-setting options Automatic Shutdown

No. of cooking zones with booster 4

No. of Flexible zones 2

Main on/off switch Yes

Power levels 9

Auto-vent 2.0 Yes

Total no. of cook zones 5

Options



Multizone OptionYesEnd of cooking alarmYesFlexible Zone TypeMultiZoneResidual time indicatorYes

Standard cut out 482-486x844-848 mm Limited Power Advanced Eco Logic
Multizone Option Yes Consumption Mode

Multizone Option Yes Consumption Mode

Multizone Option Yes Limited Power 2400 a 7400 - step 100 W

Keep warm automatic Yes Consumption Mode in W

function Showroom Demo Option Yes

Grill function Yes Control Lock / Child Yes End cooking timer 4

Technical Features



38.5x23.0 cm

38.5x23.0 cm
Automatic setting Yes Automatic switch off Yes

Automatic setting Yes Automatic switch off Yes according to pan when overheat dimension Automatic switch off Yes

pan detection Yes when overflow

Permanent Automatic Yes Residual heat indicator Yes

Pot Detection with Protection against Yes

Pot Detection with Protection against Yes indication of the relative accidental start up control

Yes

Automatic Ignition Yes

Accessories Included

Gas safety valves

Cast iron wok support 1

Electrical Connection

Electrical connection 7400 W Type of electric cable Single and Double phase rating (W) Frequency (Hz) 50/60 Hz

SMEG SPA 25/11/2025



Current 33 A

220-240 V Voltage (V) Voltage 2 (V) 380-415 V

Power supply cable length

120 cm

Gas Connection

Gas Type Gas connection G20 Natural gas Cilindrical


Other gas nozzles included

Other gas connections

provided

G30 GPL Liquid gas

Conical



SMEG SPA 25/11/2025




Compatible Accessories

5MPV3MB



LGCN



SMEG SPA 25/11/2025



Symbols glossary

Automatic merge of zones for a bigger area

Power booster: option allows the zone to work at full power when very intense cooking is necessary.

Ultra-low profile: Installation of product with flat edge - height of 1 mm.

Heavy duty cast iron pan stands: for maximum stability and strength.

Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.

Premium individual Slider control for each zone MULTI

The slider control panel allows you to adjust the power simply by passing your finger across the touch device.

Small cut-out for easy installation

Additional maximum power level for a better energy consumption

Darkness becomes light

Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.

Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.

STOP Overheat protection: The safety system that °CŦ automatically turns off the hob in case of overheating of the control unit.

Multizone: allows several pans to be used at once, large or small, offering freedom of

Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.

placement and greater flexibility

PAUSE_72dpi

Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).

Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.

Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.

Time elapsed: shows how long the cooking zone has been in use.

Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

TWIN_ZONE_72dpi

SMEG SPA 25/11/2025