


SBC4104B3



Familie
Categorie
Vitality system
Voeding
Warmtebron
Type koeling


Blast chiller
Compact 45 cm
Ja
Elektrisch
Elektrisch
Geventileerd



Design

Esthetiek	Linea	Type glas	Clear1
Kleur	Zwart	Kleur serigrafie	Grijs
Afwerking	Glanzend	Deur	Geheel glas
Design	Plat	Handgreep	Linea minimal
Materiaal	Glas	Kleur handgreep	Zwart
Alternative colours available	Stainless steel, Pure Black, Neptune Grey, Nero Lucido	Logo	Geëts

Programma's / functies

Aantal verwarmingsfuncties	4
Automatische programma's	10
Aantal koelfuncties	4
Automatische reiniging	
Personaliseerbare recepten	100

Koude functies

 Bewaren	 Flessen koelen	 Invriezen
 Koeling	 Vooraf koelen	

Opwarmfuncties

 Koken op lage temperatuur	 Ontdooien op tijd	 Rijsfunctie
 Gerecht verwarmen	 Ontdooien op gewicht	

Bediening



Display	TFT grafisch met kleuren touch screen	Regeling bediening	Touch control
----------------	---------------------------------------	---------------------------	---------------

Opties



Alarm deur open	Ja	Koelen met kerntemperatuurmeter	Ja
Timer	Ja	Showroom demo optie	Ja
Timer	2	Geluid	Polyphonic
Kinderbeveiliging	Ja	Geheugen	Ja, de 10 laatst gebruikte functies
Kerntemperatuurmeter	Ja	Touch guide	Sì, a pressione prolungata su display

Technische specificaties



Type compressor	Standaard	Aantal lampen	1
Type koelmiddel	R290	Soort verlichting	Halogeen
Hoeveelheid koelmiddel	58 g	Vermogen lamp	1 W
Klimaatklasse	SN, N, ST, T	Automatische inschakeling verlichting bij openen deur	Ja
Temperatuurregeling	Elektronisch	Bovenwarmte - vermogen	250 W
Minimum temperatuur	-28 °C	Deur openen	Standaard opening
Maximum temperatuur	75 °C	Veiligheidsthermostaat	Ja
Materiaal ovenruimte	Roestvrij staal	Automatische uitschakeling verhogingselementen bij openen deur	Ja
Aantal kookniveaus	3	Bruto inhoud	34 l
Type ovenrekken	Metalen zijsteunen		

Meegeleverde accessoires

Ovenrooster met stop	1	Kerntemperatuurmeter	Ja
Flessenrek	1	Overig	Microvezeldoek

Elektrische aansluiting


Stekker	(F;E) Schuko	Stroom	2.5 A
----------------	--------------	---------------	-------

Spanning 220-240 V

















Frequentie 50 Hz

Aansluitwaarde 270 W

Lengte voedingskabel 200 cm



Symbols glossary (TT)

 <p>Kinderslot: sommige modellen zijn voorzien van een apparaat om het programma / de cyclus te vergrendelen zodat het niet kan per ongeluk veranderd</p>	 <p>Cooling: It allows to quickly cool the food, from the temperature of 80/90°C to 3°C in less than 90 minutes, to prevent bacterial growth, prolong the average life of food and maintain unaltered the quality of food.</p>
 <p>Cold storage: allows to keep the food at the desired temperature between -35°C and +75°C and serve it at its best to enhance flavours and aromas.</p>	 <p>Pre-cooling: allows the cavity to cool to -30 °C before inserting food into the blast chiller, to ensure the best cooling and freezing results. It is recommended to run a 15-minute pre-cooling cycle.</p>
 <p>Bottles cooling: is possible to quickly cool wine and beverage bottles, reducing the need for storage in the refrigerator, with considerable space savings. Cooling of beverages takes place at about 1°C per minute.</p>	 <p>Deep freezing of the food is a very quick process (From 0/90°C temperature to -18°C in less than 270 min) that allows to extend the average life of food (by up to 70% more) and keep the same organoleptic and nutritional characteristics of fresh food, because it avoid the formation of macro-crystals, that ruin the fibers of the food.</p>
 <p>Electric</p>	 <p>Automatic cleaning: a drying cycle of the cavity to be run with the door open, to eliminate any condensation formed during use.</p>
 <p>Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.</p>	 <p>Touch control: dankzij de gebruiksvriendelijke Touch control kan het apparaat met één druk op de knop worden geprogrammeerd.</p>
 <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p>	 <p>Ready to eat: This function allows to keep food safely at the refrigerator temperature throughout the day, and heat it just before your return to make it warm, ready to be consumed.</p>
 <p>Low temperature cooking: This function consists in cooking food at a constant temperature, lower than the traditional cooking temperature. Meat results more tender and juicy, maintaining a softness that only this cooking technique allows to obtain.</p>	 <p>Dough leavening/ Yogurt: this function allows you to create the perfect conditions for correct leavening, keeping the mixture at controlled temperatures for the desired time, avoiding sudden changes in humidity levels. This feature also allows the creation of genuine homemade yogurt.</p>
 <p>Thawing by time or by weight: is possible to defrost foods quickly and evenly, without cook the food partially and affect its protein content and with inevitably compromise the quality. The process controls the temperature, preserving the natural moisture and fragrance of the food.</p>	 <p>Thawing by time or by weight: is possible to defrost foods quickly and evenly, without cook the food partially and affect its protein content and with inevitably compromise the quality. The process controls the temperature, preserving the natural moisture and fragrance of the food.</p>