SBC4304X

Familie	Blast chiller
Categorie	Compact 45 cm
Vitality system	Ja
Voeding	Elektrisch
Warmtebron	Elektrisch
Type koeling	Geventileerd



Design

Esthetiek	Classici
Kleur	Roestvrij staal
Afwerking	Vingervlekvrij
Design	Plat
Afwerking componenten	Roestvrij staal
Materiaal	Roestvrij staal
Type roestvrijstaal	Geborsteld

Alternative colours available	Stainless steel, Pure Black, Neptune Grey, Nero Lucido
Type glas	Zwart
Deur	Met 2 horizontale stroken
Handgreep	Classici
Kleur handgreep	Rvs look
Logo	In reliëf

Program / Functions

Automatische programma's	8
Aantal verwarmingsfuncties	6
Aantal koelfuncties	5
Automatische reiniging	
Personaliseerbare recepten	100

Koude functies

- Bewaren
- Flessen koelen
- Invriezen
- Koeling
- Vooraf koelen

Opwarmfuncties

- Koken op lage temperatuur
- Rijsfunctie
- Gerecht verwarmen

Defrosting

Heating

Yoghurt

Multi-step	Yes, up to 2 functions

Bediening

Display	TFT grafisch met kleuren touch screen	**Regeling bediening**	Touch control

Opties

Alarm deur open	Ja	**Koelen met kerntemperatuurmeter**	Ja
Timer	Ja	**Showroom demo optie**	Ja
Timer	2	**Geluid**	Polyphonic
Kinderbeveiliging	Ja	**Geheugen**	Ja, de 10 laatst gebruikte functies
Kerntemperatuurmeter	Ja	**Touch guide**	Sì, a pressione prolungata su display

Technische specificaties

Type compressor	Standaard	**Aantal lampen**	1
Type koelmiddel	R290	**Soort verlichting**	LED
Hoeveelheid koelmiddel	58 g	**Vermogen lamp**	1 W
Klimaatklasse	SN, N, ST, T	**Automatische inschakeling verlichting bij openen deur**	Ja
Temperatuurregeling	Elektronisch		
Minimum temperatuur	-28 °C	**Bovenwarmte - vermogen**	250 W
Maximum temperatuur	75 °C	**Deur openen**	Standaard opening
Materiaal ovenruimte	Roestvrij staal	**Veiligheidsthermostaat**	Ja
Aantal kookniveaus	3	**Automatische uitschakeling verhittingselementen bij openen deur**	Ja
Type ovenrekken	Metalen zijsteunen		
		Bruto inhoud	34 l


Meegeleverde accessoires

Bottle rack grid	Yes	**Overig**	Microvezeldoek
Kerntemperatuurmeter	Ja		

Elektrische aansluiting

Spanning	220-240 V	**Stroom**	2,5 A

Stekker	(F;E) Schuko	**Frequentie**	50 Hz
Aansluitwaarde	270 W	**Lengte voedingskabel**	200 cm



Symbols glossary



Kinderslot: sommige modellen zijn voorzien van een apparaat om het programma / de cyclus te vergrendelen zodat het niet kan per ongeluk veranderd



Cold storage: allows to keep the food at the desired temperature between -35°C and +75°C and serve it at its best to enhance flavours and aromas.



Bottles cooling: is possible to quickly cool wine and beverage bottles, reducing the need for storage in the refrigerator, with considerable space savings. Cooling of beverages takes place at about 1°C per minute.



Electric



Automatic cleaning: a drying cycle of the cavity to be run with the door open, to eliminate any condensation formed during use.



Touch control: dankzij de gebruiksvriendelijke Touch control kan het apparaat met één druk op de knop worden geprogrammeerd.



Ready to eat: This function allows to keep food safely at the refrigerator temperature throughout the day, and heat it just before your return to make it warm, ready to be consumed.



Dough leavening/ Yogurt: this function allows you to create the perfect conditions for correct leavening, keeping the mixture at controlled temperatures for the desired time, avoiding sudden changes in humidity levels. This feature also allows the creation of genuine homemade yogurt.



Cooling: It allows to quickly cool the food, from the temperature of 80/90°C to 3°C in less than 90 minutes, to prevent bacterial growth, prolong the average life of food and maintain unaltered the quality of food.



Pre-cooling: allows the cavity to cool to -30 °C before inserting food into the blast chiller, to ensure the best cooling and freezing results. It is recommended to run a 15-minute pre-cooling cycle.



Deep freezing of the food is a very quick process (From 0/90°C temperature to -18°C in less than 270 min) that allows to extend the average life of food (by up to 70% more) and keep the same organoleptic and nutritional characteristics of fresh food, because it avoid the formation of macro-crystals, that ruin the fibers of the food.



Vingerafdrukbestendig roestvrij staal: Vingerafdrukbestendig roestvrij staal zorgt ervoor dat roestvrij staal er zo goed als nieuw uitziet.



Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.



The capacity indicates the amount of usable space in the oven cavity in litres.



Low temperature cooking: This function consists in cooking food at a constant temperature, lower than the traditional cooking temperature. Meat results more tender and juicy, maintaining a softness that only this cooking technique allows to obtain.