

SCB92MN8

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Gas

Thermo-ventilated

Static

Vapor Clean

8017709149987

Α



Aesthetics





Design

Command panel finish

Aesthetic Logo

Colour

Logo position

Upstand

Series Hob colour

Type of pan stands

Type of control setting

hob

Standard

Enamelled metal

Classica

Assembled

Black

Facia below the oven

Yes

Concerto

Stainless steel

Cast Iron

Control knobs

Type of control knobs

Controls colour

No. of controls

Serigraphy colour

Display name

Door

Glass type

Handle

Handle Colour

Storage compartment

Feet color

Smeg Classic

Stainless steel

8

Silver

Electronic 5 buttons

With 2 horizontal strips

Stopsol

Smeq Classic

Brushed stainless steel

Door

Silver

Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Static

Circulaire



Turbo

Small grill

Large grill

Fan grill (large)



Fan assisted base

8

SMEG SPA

27/11/2025



Other functions

Defrost by time

Cleaning functions



Vapor clean

Programs / Functions auxiliary oven

Bottom element + Upper element



Traditional cooking functions, cavity 2

Static

Small grill

Large grill

Bottom

Fan-assisted bottom

Hob technical features



Total no. of cook zones 5

Front left - Gas - Rapid - 3.00 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Central - Gas - UR - 3.50 kW

Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 1.00 kW

Type of gas burners Standard

Automatic electronic Yes Burner caps

ignition

Main Oven Technical Features

















No. of lights Net volume of the cavity 70 l Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen

Light Power 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Removable door Yes Full glass inner door Yes Gas safety valves

Yes

Matt black enamelled

360X460X425 mm

1200 W

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W



Removable inner door Yes Circular heating element 2000 W

- Power

Grill type Electric

Yes

Options Main Oven

Minimum Temperature Timer Yes 50 °C End of cooking acoustic Maximum temperature 260 °C

alarm

Second Oven Technical Features

Net volume of the 35 I

No. total door glasses 3 second cavity No. thermo-reflective

Gross volume, 2nd 36 I door glasses cavity

Safety Thermostat Ever Clean enamel Cavity material Cooling system

Tangential No. of shelves Usable cavity space 311x206x418 mm

Type of shelves Metal racks dimensions (HxWxD)

No. of lights Temperature control Electro-mechanical

Incandescent Lower heating element - 700 W Light type

Light Power 25 W power Upper heating element - 600 W

Removable door Yes Power Full glass inner door Yes

Grill element - power 1300 W Removable inner door Yes Large grill - Power 1900 W

Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob

Moka stand 40mm deep tray 1 Rack with back and side 1 Grill mesh 1 stop Catalityc panels 3

20mm deep tray 1

Accessories included for Secondary Oven

Grill mesh Rack with back and side 1 1

Wide baking tray

Electrical Connection



Electrical connection

5200 W

rating

Current 23 A

 Voltage
 220-240 V

 Voltage 2 (V)
 380-415 V

Electric cable Installed, Single phase

Power supply cable

length

Additional connection

modalities

Frequency Terminal block


Plug

120 cm

Double and Three Phase

50/60 Hz 5 poles

Not present





Compatible Accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet

AL90X9

Upstand suitable for 90cm Concert cookers with gas hob and MF oven



BG6090-1

Cast iron grill plate suitable for Concerto cookers and BM93-BU93



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Splashback black, 90 cm, suitable for BU & BM cookers



KITH95

GTT

Height extension feet (950mm), stainless steel, suitable for Concerto cookers (911-966mm)







KITPC92X9

Splashback, 90cm, stainless steel, for Concerto cookers with double pyrolitic ovens



KITPDQ

Height reduction feet (850mm), stainless steel, for Concerto cookers (850-881mm)



KITSB9MB



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1

Child lock

STONE



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C





Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary

***	Heavy duty cast iron pan stands: for maximum stability and strength.	A A	Energy efficiency class A
	Installation in column: Installation in column.	:::	Air cooling system: to ensure a safe surface temperatures.
**	Defrost by time: Manual defrost function. At the end of the set duration, the function stops.	3	Triple glazed doors: Number of glazed doors.
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.	₩)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
\bigcup	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.		Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.
8	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.
	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	***	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Light



Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Knobs control



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Buttons control

Easy and intuitive timer setting with a simple buttons

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency